

Washington State Airport Guide

M 3049

September 2014



**Washington State
Department of Transportation
Aviation Division**

7702 Terminal Street SW
Tumwater, WA 98501-7264

360-709-8015

1-800-552-0666 (inside WA only)

Fax 360-709-8009

www.wsdot.wa.gov/aviation





**Washington State
Department of Transportation
Aviation Division**

Foreword

Washington State Department of Transportation (WSDOT) Aviation has developed the *Washington State Airport Guide* as a tool to promote the use of the state's aviation system. The guide provides basic and user friendly information regarding Washington's airport facilities.

As pilot in command, you are responsible for the safety of your flight. WSDOT Aviation does not assume responsibility for incomplete or inaccurate information contained herein due to ever-changing airport conditions and service facilities.

For complete information regarding airport facilities, pilots should consult the current FAA *Airport Facility Directory* (AFD) and current navigation charts. In addition, it is recommended that pilots contact a Flight Service Station (FSS) to determine conditions at an unfamiliar airport.

Editor

This version of the *Washington State Airport Guide*
was edited by WSDOT Aviation

Acknowledgements

WSDOT Aviation wishes to thank the following for
their assistance in the preparation of this guide.

WSDOT Administrative and Publications Services
Washington State Department of Printing
WSDOT Visual Engineering Resource Group
Washington State Patrol

Photo Credits

Sharleen Hill
Erica Mulherin
Steve Riddle
Steve Lee
John MacArthur
Trooper Paul Speckmaier
Trooper Ryan Santhuff

Message From WSDOT Aviation

On behalf of WSDOT Aviation, welcome to the Washington State aviation system, one of the most geographically diverse systems in the nation. Our state boasts a variety of unique airports including mountain strips, seaplane bases, and a beach airport at Copalis.

Here are a few facts about Washington's aviation system:

- We have 134 public use airports throughout the state. Each airport fulfills a particular role in supporting community economic and transportation needs. WSDOT manages 16 state airports across the state.
- The airports are operated by cities, counties, ports, state, and private parties. Sixty-four of these airports are included in the federal system and are eligible for federal grants. The remaining airports are smaller and rely exclusively on state and local funding.
- While the state is responsible for planning the aviation system and providing financial assistance to airports, most challenges must be addressed locally by the airport owner. In order to preserve the airport system for future generations, aviators of all backgrounds must be engaged in the issues affecting their local airports.
- The *Washington State Airport Guide* is a tool for you to explore our aviation system and understand first hand the value airports bring to Washington State. Please share your experience with others and continue to highlight the importance of the state's aviation system.

Contents

Foreword	iii
Message From WSDOT Aviation	iv
Contents	v
Weather Data Sources	vi
State Managed Airports	viii
Instructions on Using Frequency and Outlet Maps	ix
Seattle Center Frequency Locator Map	x
Remote Communications Outlet Map	xi
Flight Watch and Pilot Weather Reports	xii
Runway Incursions	xiii
Accidents, Incidents, and Safety Investigations	xiv
Emergency Locator Transmitter Reporting Instructions	xvi
Wildfire Reporting Instructions	xvii
Abbreviations	xviii
Airport Manager Phone Numbers	xix
Washington State Airports – Alphabetical by Airport	xxii
Washington State Airports – Alphabetical by City	xxvi

Weather Data Sources

West of the Cascades

Airport	ID	Phone Number	Frequency	Source
AJ Eisenberg	OKH	360-675-8431	132.775	AWOS-3
Arlington Municipal	AWO	360-435-8045	135.625	AWOS-3
Bellingham International	BLI	360-671-8688 360-647-5939	None 134.45	ASOS ATIS
Boeing Field/King County	BFI	206-763-6904 206-767-4113	None 127.75	ASOS ATIS
Bowerman Field	HQM	360-538-7021	135.775	ASOS
Bremerton National	PWT	360-674-2811	121.2	AWOS-3
Chehalis-Centralia	CLS	360-740-5164	118.025	AWOS-3
Friday Harbor	FHR	360-378-8491	135.675	ASOS
Southwest Washington Regional	KLS	360-577-1964	135.075	AWOS-3
Olympia Regional	OLM	360-943-1278	135.725	ASOS/ ATIS
Orcas Island	ORS	360-376-6045	135.425	AWOS-3
Pearson Field	VUO	360-696-1280	135.125	ASOS
Pierce County-Thun Field	PLU	253-848-2748	128.575	AWOS-3
Quillayute	UIL	360-374-9731	135.225	ASOS
Renton Municipal	RNT	425-255-6080	126.95	ASOS/ ATIS
Sanderson Field	SHN	360-427-3835	119.275	ASOS
Seattle-Tacoma International	SEA	206-431-2834 206-241-6025	None 118.0	ASOS ATIS
Skagit Regional	BVS	360-757-7767	121.125	AWOS-3
Snohomish County (Paine Field)	PAE	425-355-6192 425-355-9797	None 128.65	ASOS ATIS
Tacoma Narrows	TIW	253-858-6507	124.05	ASOS/ ATIS
William R. Fairchild International	CLM	360-457-1070	135.175	ASOS

Weather Data Sources

East of the Cascades

Airport	ID	Phone Number	Frequency	Source
Bowers Field	ELN	509-925-2040	118.375	ASOS
Columbia Gorge Regional/ The Dalles Municipal	DLS	509-767-1726	135.175	ASOS
Deer Park Municipal	DEW	509-276-2303	135.175	ASOS
Ephrata Municipal	EPH	509-754-3761	135.775	ASOS
Felts Field	SFF	509-535-3290	120.55	ASOS/ ATIS
Grant County International	MWH	509-762-5082	119.05	ASOS/ ATIS
Omak Municipal	OMK	509-826-2655	118.325	ASOS
Pangborn Memorial	EAT	509-886-4226	119.925	ASOS
Pullman-Moscow Regional	PUW	509-334-3222	135.675	ASOS
Richland	RLD	509-375-4247	132.675	AWOS-3
Spokane International	GEG	509-624-4406	124.325	ASOS/ ATIS
Tri Cities	PSC	509-547-7379	125.65	ASOS/ ATIS
Walla Walla Regional	ALW	509-525-3014	135.875	ASOS
Yakima Air Terminal/McAllister Field	YKM	509-248-1502	125.25	ASOS/ ATIS

State Managed Airports

WSDOT Aviation manages 16 airports, offering a gateway to the beautiful backcountry of Washington State. The airfields, located primarily in regions that experience extreme climatic conditions, also provide strategic landing or staging sites for emergency medical air response, transport, evacuation points, and fire fighting.

In addition to facilitating essential emergency operations, the state airports also supply a wide range of recreational opportunities for Washington residents and visitors. Many airfields are adjacent to campgrounds that range from primitive to modern. Camping, hiking, and fishing can be enjoyed at most of the airports, in many cases, without even leaving the facility.

The Adopt-an-Airport Program for the state airports has promoted a higher level of care for those remote strips, while increasing general usage. This enables pilots from all over the state to participate in aviation at a grass roots level, helping to preserve these important assets and protect the future of aviation.

State operated airports are seasonal due to soft fields.

For more information, visit our Web site at www.wsdot.wa.gov/aviation.

Stehekin / **Stehekin State** / 6S9



State Managed Airports



State Airport	FAA ID	Located Near (City/County)
Bandera	4W0	Bandera, King County
Copalis Beach	S16	Copalis Beach, Grays Harbor
Easton	ESW	Easton, Kittitas County
Lake Wenatchee	27W	Leavenworth, Chelan County
Little Goose Dam	16W	Starbuck, Columbia County
Lower Granite	00W	Colfax, Whitman County
Lower Monumental	W09	Kahlotus, Walla Walla County
Methow Valley	S52	Winthrop, Okanogan County
Ranger Creek	21W	Greenwater, Pierce County
Rogersburg	D69	Anatone, Asotin County
Skykomish	S88	Skykomish, King County
Stehekin	6S9	Stehekin, Chelan County
Sullivan Lake	09S	Metaline Falls, Pend Oreille County
Tieton	4S6	Rimrock, Yakima County
Woodland	W27	Woodland, Cowlitz County

Note: Lester State Airport (not shown on the map) is closed to fixed wing aircraft.

Instructions on Using Frequency and Outlet Maps

Seattle Center Frequency Locator Map

The Seattle Center frequency locator map identifies Seattle Center frequencies by sector to be used for “Flight Following” (radar traffic advisories). This allows pilots to be in contact with controllers to promote safety and enhance awareness of air traffic.

How to Use – Locate your position in reference to sector and the corresponding center frequency. Keep in mind that Seattle Center just needs to know the basics: who you are, what type of aircraft you are flying, where you are, and your request.

Example – “Seattle Center, N9053C, a Cessna 182RG, 5 miles east of Arlington requesting VFR flight following to Spokane.” (At that point, the controller will give you a squawk code and ask for your altitude.)

Remote Communications Outlet (RCO) Map


Remote Communications Outlets are established to extend the communication capabilities of Flight Service Stations (FSS) for doing the following:

1. Opening, closing, or altering visual flight rules (VFR) flight plans (Note: Filing a flight plan is considered a “preflight” function and therefore should be done via telephone 1-800-992-7433, unless in cases of emergency.)
2. For relaying instrument flight rules (IFR) and special visual flight rules (SVFR) clearances to aircraft on the ground in areas where the Center’s frequencies do not reach.
3. Weather updates or pilot reports (Note: For use before or after the hours of 6 am to 10 pm otherwise call Flight Watch – EFAS on 122.0)
4. Inquiring about special use airspace (Restricted Areas, Military Operations Area, etc.).


How to Use – Pilots calling a FSS should give their position (with reference to a RCO name, nearby airport or VOR) and the frequency being used.

Example – “Seattle Radio, Cessna N72613, Badger Mountain RCO, listening 122.3”

Seattle Center Frequency Locator Map



Remote Communications Outlet Map



Flight Watch and Pilot Weather Reports

Flight Watch — Enroute Flight Advisory Services (EFAS)

What is Flight Watch used for? – Receiving updated weather information while in flight, or giving a pilot weather report (PIREP).

How to Use – While in flight, call Flight Watch on 122.0 between 6 am and 10 pm. (After hours, call the appropriate flight service station frequency.)

Example – “Flight Watch, Malibu N28BR”, 15 North of Ephrata VOR”

Pilot Weather Reports (PIREPs)

What are Pilot Weather Reports for? – To supplement weather briefings based on ground observations and forecasts, pilots are encouraged to file in-flight weather reports (PIREPs) to Flight Service, Flight Watch or ATC. PIREPs are real-time, actual observations of weather encountered aloft that are made available to other pilots.

How to Use – Elements of a PIREP include Aircraft Type, Location (relative to a VOR or airport), altitude (flight level), time (in Zulu) and weather conditions (sky cover, flight visibility, precipitation, restrictions to visibility, temperature, wind direction and speed in degrees magnetic and knots, turbulence, icing and pilot remarks). When giving a PIREP just remember “who, where, when and what.”

Example – Once initial contact has been made “Cessna 77HG is a Skylane 182, 21 nm out on the Olympia VORTAC 151 degree radial at 6,500 feet. There is a broken layer above at 9,000 feet and visibility is about 5 miles in haze. The temperature is 9 degrees Celsius and the ride is smooth.”

Runway Incursions

10 Ways to Help Prevent Runway Incursions

1. **See the “Big Picture”** – Monitor both ground and tower communications when possible.
2. **Transmit Clearly** – Make your instructions and read backs complete and easy to understand.
3. **Listen Carefully** – Listen to your clearance. Listen to what you read back. Do not let communications become automatic.
4. **Copy Clearances** – Clearances can change. Keep a note pad and copy your clearance. If needed, refer to your notes.
5. **Situational Awareness** – Know your location. If unfamiliar with an airport, keep a current airport diagram available for easy reference.
6. **Admit When Lost** – If you get lost on an airport, ask ATC for help. Better to damage your pride than your airplane.
7. **Sterile Cockpit** – Maintain a sterile cockpit until reaching cruising altitude. Explain to your passengers that talking should be kept to a minimum.
8. **Understand Signs, Lights, and Markings** – Keep current with airport signs, lights, and markings. Know what they mean and what action to take.
9. **Never Assume** – Do not take clearances for granted. Look both ways before entering or crossing taxiways and runways.
10. **Follow Procedures** – Establish safe procedures for airport operations. Then follow them.

For more information, go to www.faa.gov/airports/runway_safety.

Accidents, Incidents, and Safety Investigations

Rules Pertaining to Aircraft Accidents, Incidents, Overdue Aircraft, and Safety Investigations

(National Transportation Safety Board, Procedural Regulation, 49 CFR 830 (in part))

Reports of accidents or incidents should be made to the Regional Office associated with the state in which the accident or incident occurred. For Idaho, Montana, Oregon, Utah, and Washington: Western Pacific Regional Office, 505 South 336th St, Suite 540, Federal Way, WA 98003, 253-874-2880, 240-752-6343 fax, 8-4:30 (PT). For more information, go to www.nts.gov (select Aviation, then Reporting an Accident to the NTSB).

1. **Immediate Notification** – The operator of an aircraft shall immediately, and by the most expeditious means available, notify the nearest National Transportation Safety Board, Bureau of Aviation Safety Field Office when:
 - A. An aircraft accident of any of the following listed incidents occur:
 - Flight control system malfunction or failure.
 - Inability of any required flight crew member to perform normal flight duties as a result of injuries or illness.
 - Turbine engine rotor failures excluding compressor blades and turbine buckets.
 - In-flight fire.
 - Aircraft collide in flight.
 - B. An aircraft is overdue and is believed to have been involved in an accident.
2. **Manner of Notification** – The most expeditious method of notification to the National Transportation Safety Board by the operator will be determined by the circumstances existing at that time.

The National Transportation Safety Board has advised that any of the following would be considered examples of the type of notification that would be acceptable:

- A. Direct telephone notification.
- B. Telegraphic notification.
- C. Notification of the Federal Aviation Administration who would in turn notify the NTSB by direct communication; i.e., dispatch or telephone.
- D. Accidents should also be reported to the appropriate authorities.
- E. Accidents at WSDOT managed airports should also be reported to WSDOT Aviation.

Accidents, Incidents, and Safety Investigations

3. **Reports** – The operator shall file a report on NTSB Form 6120.1 or 7120.2 available from the National Transportation Safety Board, Washington, D.C. 20594.
 - A. Within ten (10) days after an occurrence for which notification is required in 1(a) or (b) above.
 - B. When after seven (7) days, an overdue aircraft is still missing.
 - C. Upon request of an authorized representative of the National Transportation Safety Board.
 - Each crew member, if physically able at the time the report is submitted, shall attach thereto a statement setting forth the facts, conditions and circumstances relating to the accident or occurrence as they appear to him/her. If the crew member is incapacitated, he/she shall submit the statement as soon as he/she is physically able.

Emergency Locator Transmitter Reporting Instructions

WSDOT's goal is that no plane ever goes missing. But if the worst happens, here are some things that can help emergency crews find a plane faster:

- File a flight plan
- Use flight following
- Make sure you have an operational emergency locator transmitter
- Consider investing in a new 406 ELT

WSDOT Aviation responds to about 400 emergency locator transmitter (ELT) distress signals each year. Many times, ELTs are mistakenly activated due to operator error or improper care. Responding to false alarms is extremely costly and detracts from vital air search and rescue resources needed during actual emergencies.

You can help us in two ways.

1. Listen to 121.5 just before you shut down your aircraft to see if you have accidentally activated your ELT.
2. Listen to 121.5 periodically during your flight to detect an ELT.

What if you hear an ELT on the ground?

If you are on the ground and hear an ELT, call Flight Service at 800-WX-BRIEF. Tell them where you are and where you hear the signal.

What if you hear an ELT in the air? If you are in the air and hear an ELT, note your current location and altitude (the higher you are, the further you can hear the signal).

1. If you have GPS, note the latitude and longitude of your position. If you do not have GPS, then use a VOR radial and DME for your location.
2. If you are working with the air route traffic control center or approach control, then relay the information to them.
3. If you are not working with air traffic control, call Flight Watch or Flight Service at 800-WX-BRIEF.
4. If you are unable to establish radio contact, call Flight Service as soon as you land.

Please note that even though other pilots may have reported the ELT, multiple reports may assist in narrowing down the location and saving lives.

Visit WSDOT's pilot safety page: www.wsdot.wa.gov/aviation/sar/pilotspage.htm

Wildfire Reporting Instructions

Private and commercial pilot reports of wildfire have played a major role in helping land management agencies protect the timber, wildlife, wilderness, and other property values in Washington State.

Contact the Seattle Air Route Traffic Control Center, Approach Control, nearest Airport Traffic Control Tower, Flight Service Station, or Flight Watch and report the geographic location of the fire.

If you cannot report the fire via radio, upon arrival, please call 800-562-6010 (toll free from anywhere in Washington State) and furnish the following information:

1. The latitude and longitude from a GPS.
2. Alternative method is a VOR and DME fix.
3. Approximate size of the fire, estimate the best you can. If you can't estimate acres, use other comparisons such as the size of a football field.
4. Report fire behavior: lots of open flame, smoldering, heavy smoke, or no smoke.
5. Report what is burning: slash, brush, mature trees, etc.
6. Report any personnel, logging equipment, fire trucks, etc., around the site.

Your timely reporting of the fire helps save property and resources.



Abbreviations

The following abbreviations are used in this guide.

AGL	Above Ground Level
ARTCC	Air Route Traffic Control Center
ASOS	Automatic Surface Observing System
ASPH	Asphalt
ATIS	Automated Terminal Information Service
AWOS	Automated Weather Observing System
BCN	Beacon
CL DEL	Clearance Delivery
CONC	Concrete
CTAF	Common Traffic Advisory Frequency
DSPLD THRLD	Displaced Threshold
GRND	Ground Control
HIRL	High Intensity Runway Lights
LIRL	Low Intensity Runway Lights
MALSR	Medium Intensity Approach Lighting System
MIRL	Medium Intensity Runway Lights
MSL	Mean Sea Level
NM	Nautical Miles
NSTD	Non Standard
ODALS	Omni Directional Approach Lighting System
PCL	Pilot Controlled Lighting
RCO	Remote Communications Outlet
REIL	Runway End Identifier Lights
RWY	Runway
SFC	Surface
SPB	Seaplane Base
TPA	Traffic Pattern Altitude (MSL)
TWR	Tower
TWY	Taxiway
UNICOM	Radio Advisory
VASI	Visual Approach Slope Indicator

Airport Manager Phone Numbers

A

AJ Eisenberg 360-929-6802
American Lake SPB 253-582-3777
Anacortes 360-293-3134
Anderson Field 509-689-2712
Apex 360-662-0762
Arlington Municipal 360-403-3470
Auburn Municipal 253-333-6821
Avey Field State 509-684-2240

B

Bandera State 360-618-2477
Bellingham International 360-671-5674
Boeing Field/King County
International 206-296-7430
Bowerman Field 360-533-9544
Bowers Field 509-962-7523
Bremerton National 360-674-2381

C

Camano Island Airfield 360-629-4812
Cashmere-Dryden 509-669-5066
Cedars North 360-687-1208
Chehalis-Centralia 360-748-1230
Cle Elum Municipal 509-767-0005
509-674-2262
Columbia Gorge Regional/. 509-767-0005
The Dalles Municipal 509-767-2272
Colville Municipal 509-685-9056
Concrete Municipal 360-853-7114
Copolis State 360-618-2477
Crest Airpark 253-631-7100

D

Darrington Municipal 360-436-1131
Davenport Municipal 509-725-4352
Deer Park Municipal 509-276-3379
Desert Aire 509-932-5642
Dorothy Scott 509-476-2227

E

Easton State 360-618-2477
Elma Municipal 360-482-2228
Ephrata Municipal 509-754-3508

F

Felts Field 509-455-6455
Ferry County 509-775-3911
Firstair Field 360-794-8570
Floathaven SPB 206-909-7299
Fly For Fun 360-253-4850
Forks Municipal 360-374-5412
Friday Harbor 360-378-4724
Friday Harbor SPB 360-378-2688

G

Goheen 360-687-3038
Goldendale 509-773-3771
Grand Coulee Dam 509-633-1319
Grant County International 509-762-5363
Grove Field 360-835-2196

H

Harvey Field 360-568-1541
Hoskins Field 360-491-6723

I

Ione Municipal 509-442-3611

Airport Manager Phone Numbers

J

Jefferson County International 360-385-0656

K

Kenmore Air Harbor 206-282-8744

Kenmore Air Harbor SPB . . . 425-486-1257

L

Lake Chelan 509-682-5976

Lake Wenatchee State 360-618-2477

Lind Municipal 509-677-3241

Little Goose Lock & Dam State 360-618-2477

Lopez Island 360-468-4116

Lost River 509-996-2385

Lower Granite State 360-618-2477

Lower Monumental State . . . 360-618-2477

Lynden Municipal 360-354-3446

M

Mansfield 509-884-4700

Martin Field 509-522-1847

Mead Flying Service 509-466-3007

Methow Valley State 360-618-2477

Moses Lake Municipal 509-760-4470

O

Ocean Shores Municipal . . . 360-289-2754

Odessa Municipal 509-660-3024

Okanogan Legion 509-422-3600

Olympia Regional 360-528-8079

Omak Municipal 509-322-4046

Orcas Island 360-376-5285

Othello Municipal 509-488-2544

P

Packwood 360-864-4966

Pangborn Memorial 509-884-2494

Pearson Field 360-619-1295

Pierce County-Thun Field . . 253-841-3779
253-789-7109

Point Roberts Airpark 360-945-3139

Port of Ilwaco 360-642-3143

Port of Poulsbo SPB 360-779-9905

Port of Whitman Business
Air Center 509-397-2061

Prosser 509-375-3060

Pru Field 509-659-1930

Pullman-Moscow Regional . . 509-338-3223

Q

Quillayute 360-374-5412 (ext 245)

Quincy Municipal 509-787-3715

R

Ranger Creek State 360-618-2477

Renton Municipal 425-430-7471

Richland 509-375-3060

Roche Harbor SPB 360-378-3500

Rogersburg State 360-618-2477

Rosalia Municipal 509-523-3498

Rosario SPB 360-376-2222

Airport Manager Phone Numbers

S

Sand Canyon	509-935-4852
Sanderson Field	360-426-1151
Seattle Seaplanes SPB	206-329-9638
Seattle-Tacoma International	206-431-4994
Sekiu	360-457-1138
Sequim Valley	360-683-4444
Shady Acres	253-874-2777
Skagit Regional.	360-757-0011
Sky Harbor	425-359-4625
Skykomish State	360-618-2477
Skyline SPB	360-293-5134
Snohomish County/Paine Field	425-353-2110
South Lewis County	360-864-4966 360-985-2776
Southwest Washington Regional.	360-414-4333
Spokane International	509-455-6419
Stehekin State	360-618-2477
Strom Field.	360-496-5210
Sullivan Lake State	360-618-2477
Sunnyside Municipal	509-837-5206
Swanson Field	360-832-3431

T

Tacoma Narrows.	253-853-5844
Tieton State	360-618-2477
Tonasket Municipal	509-486-4664
Tri-Cities.	509-547-6352
Twisp Municipal	509-341-4800

V

Vashon Municipal	206-436-1638
----------------------------	--------------

W

Walla Walla Regional	509-525-3100
Warden	509-349-2033
Waterville	509-884-4700
Westport	360-268-0131
Whidbey Airpark	360-341-5531
Wilbur Municipal.	509-647-2441
Will Rogers/Wiley Post Memorial SPB.	425-430-7471
Willapa Harbor	360-942-3422
Willard Field	509-284-3861
Wilson Creek	509-345-2350
Wm R Fairchild International	360-457-1138
Woodland State	360-618-2477

Y

Yakima Air Terminal	509-575-6149
-------------------------------	--------------

Washington State Airports – Alphabetical by Airport

Airport	City	FAA ID	Page
AJ Eisenberg	Oak Harbor	OKH	65
American Lake SPB	Lakewood	W37	49
Anacortes	Anacortes	74S	1
Anderson Field	Brewster	S97	12
Apex	Silverdale	8W5	101
Arlington Municipal	Arlington	AWO	4
Auburn Municipal	Auburn	S5Ø	5
Avey Field	Laurier	69S	51
Bandera State	Bandera	4WØ	6
Bellingham International	Bellingham	BLI	9
Boeing Field/King County International	Seattle	BFI	94
Bowerman Field	Hoquiam	HQM	42
Bowers Field	Ellensburg	ELN	33
Bremerton National	Bremerton	PWT	11
Camano Island Airfield	Stanwood	13W	109
Cashmere-Dryden	Cashmere	8S2	15
Cedars North	Battle Ground	W58	7
Chehalis-Centralia	Chehalis	CLS	16
Cle Elum Municipal	Cle Elum	S93	19
Columbia Gorge Regional	The Dalles, Oregon	DLS	116
Colville Municipal	Colville	63S	23
Concrete Municipal	Concrete	3W5	24
Copalis State	Copalis Beach	S16	25
Crest Airpark	Kent	S36	48
Darrington Municipal	Darrington	1S2	26
Davenport Municipal	Davenport	68S	27
Deer Park Municipal	Deer Park	DEW	28
Desert Aire	Mattawa	M94	57
Dorothy Scott	Oroville	ØS7	72
Easton State	Easton	ESW	29
Ed Carlson Memorial Field- South Lewis County	Toledo	TDO	117

Washington State Airports – Alphabetical by Airport

Airport	City	FAA ID	Page
Elma Municipal	Elma	4W8	34
Ephrata Municipal	Ephrata	EPH	35
Felts Field	Spokane	SFF	107
Ferry County	Republic	R49	87
Firstair Field	Monroe	W16	61
Floathaven SPB	Bellingham	ØW7	10
Fly For Fun	Vancouver	W56	120
Forks Municipal	Forks	S18	37
Friday Harbor	Friday Harbor	FHR	38
Friday Harbor SPB	Friday Harbor	W33	39
Goheen	Battle Ground	W52	8
Goldendale	Goldendale	S2Ø	40
Grand Coulee Dam	Electric City	3W7	32
Grant County International	Moses Lake	MWH	63
Grove Field	Camas	1W1	14
Harvey Field	Snohomish	S43	103
Hoskins Field	Olympia	44T	69
Ione Municipal	Ione	S23	44
Jefferson County International	Port Townsend	ØS9	78
Kenmore Air Harbor SPB	Kenmore (Lake Washington)	S6Ø	47
Kenmore Air Harbor SPB	Seattle (Lake Union)	W55	95
Lake Chelan	Chelan	S1Ø	17
Lake Wenatchee State	Leavenworth	27W	52
Lind Municipal	Lind	ØSØ	53
Little Goose Lock & Dam State	Starbuck	16W	110
Lopez Island	Lopez	S31	54
Lost River	Mazama	W12	58
Lower Granite State	Colfax	ØØW	20
Lower Monumental State	Kahlotus	WØ9	45
Lynden Municipal	Lynden	38W	55
Mansfield	Mansfield	8W3	56

Washington State Airports – Alphabetical by Airport

Airport	City	FAA ID	Page
Martin Field	College Place	S95	22
Mead Flying Service	Mead	70S	59
Methow Valley State	Winthrop	S52	130
Moses Lake Municipal	Moses Lake	W20	64
Ocean Shores Municipal	Ocean Shores	W04	66
Odessa Municipal	Odessa	43D	67
Okanogan Legion	Okanogan	S35	68
Olympia Regional	Olympia	OLM	70
Omak Municipal	Omak	OMK	71
Orcas Island	Eastsound	ORS	30
Othello Municipal	Othello	S70	73
Packwood	Packwood	55S	74
Pangborn Memorial	Wenatchee	EAT	126
Pearson Field	Vancouver	VUO	121
Pierce County-Thun Field	Puyallup	PLU	82
Point Roberts Airpark	Point Roberts	1RL	76
Port of Ilwaco	Ilwaco	7W1	43
Port of Poulsbo Marina Moorage SPB	Poulsbo	83Q	79
Port of Whitman Business Air Center	Colfax	S94	21
Prosser	Prosser	S40	80
Pru Field	Ritzville	33S	90
Pullman-Moscow Regional	Pullman-Moscow (Idaho)	PUW	81
Quillayute	Quillayute	UIL	83
Quincy Municipal	Quincy	80T	84
Ranger Creek State	Greenwater	21W	41
Renton Municipal	Renton	RNT	85
Richland	Richland	RLD	88
Roche Harbor SPB	Roche Harbor	W39	91
Rogersburg State	Anatone	D69	3
Rosalia Municipal	Rosalia	72S	92
Rosario SPB	Rosario	W49	93

Washington State Airports – Alphabetical by Airport

Airport	City	FAA ID	Page
Sand Canyon	Chewelah	1S9	18
Sanderson Field	Shelton	SHN	100
Seattle Seaplanes SPB	Seattle (Lake Union)	ØWØ	96
Seattle-Tacoma International	Seattle	SEA	97
Sekiu	Sekiu	11S	98
Sequim Valley	Sequim	W28	99
Shady Acres	Spanaway	3B8	105
Skagit Regional	Burlington	BVS	13
Sky Harbor	Sultan	S86	112
Skykomish State	Skykomish	S88	102
Skyline SPB	Anacortes	21H	2
Snohomish County (Paine Field)	Everett	PAE	36
Southwest Washington Regional	Kelso	KLS	46
Spanaway	Spanaway	S44	106
Spokane International	Spokane	GEG	108
Stehekin State	Stehekin	6S9	111
Strom Field	Morton	39P	62
Sullivan Lake State	Metaline Falls	Ø9S	60
Sunnyside Municipal	Sunnyside	1S5	113
Swanson Field	Eatonville	2W3	31
Tacoma Narrows	Tacoma	TIW	114
Tieton State	Rimrock	4S6	89
Tonasket Municipal	Tonasket	W01	118
Tri-Cities	Pasco	PSC	75
Twisp Municipal	Twisp	2SØ	119
Vashon Municipal	Vashon	2S1	122
Walla Walla Regional	Walla Walla	ALW	123
Warden	Warden	2S4	124
Waterville	Waterville	2S5	125
Westport	Westport	14S	127
Whidbey Airpark	Langley	W1Ø	50
Wilbur Municipal	Wilbur	2S8	128

Washington State Airports – Alphabetical by Airport

Airport	City	FAA ID	Page
Will Rogers/Wiley Post Memorial SPB	Renton	W36	86
Willapa Harbor	South Bend (Raymond)	2S9	104
Willard Field	Tekoa	73S	115
William R. Fairchild International	Port Angeles	CLM	77
Wilson Creek	Wilson Creek	5W1	129
Woodland State	Woodland	W27	131
Yakima Air Terminal	Yakima	YKM	132

Washington State Airports – Alphabetical by City

City	Airport	FAA ID	Page
Anacortes	Anacortes	74S	1
Anacortes	Skyline SPB	21H	2
Anatone	Rogersburg State	D69	3
Arlington	Arlington Municipal	AW0	4
Auburn	Auburn Municipal	S50	5
Bandera	Bandera State	4W0	6
Battle Ground	Cedars North	W58	7
Battle Ground	Goheen	W52	8
Bellingham	Bellingham International	BLI	9
Bellingham	Floathaven SPB	0W7	10
Bremerton	Bremerton National	PWT	11
Brewster	Anderson Field	S97	12
Burlington	Skagit Regional	BVS	13
Camas	Grove Field	1W1	14
Cashmere	Cashmere-Dryden	8S2	15
Chehalis	Chehalis-Centralia	CLS	16
Chelan	Lake Chelan	S10	17
Chewelah	Sand Canyon	1S9	18
Cle Elum	Cle Elum Municipal	S93	19
Colfax	Lower Granite State	00W	20
Colfax	Port of Whitman Business Air Center	S94	21
College Place	Martin Field	S95	22
Colville	Colville Municipal	63S	23
Concrete	Concrete Municipal	3W5	24
Copalis Beach	Copalis State	S16	25
Darrington	Darrington Municipal	1S2	26
Davenport	Davenport Municipal	68S	27
Deer Park	Deer Park Municipal	DEW	28
Easton	Easton State	ESW	29
Eastsound	Orcas Island	ORS	30
Eatonville	Swanson Field	2W3	31
Electric City	Grand Coulee Dam	3W7	32

Washington State Airports – Alphabetical by City

City	Airport	FAA ID	Page
Ellensburg	Bowers Field	ELN	33
Elma	Elma Municipal	4W8	34
Ephrata	Ephrata Municipal	EPH	35
Everett	Snohomish County (Paine Field)	PAE	36
Forks	Forks Municipal	S18	37
Friday Harbor	Friday Harbor	FHR	38
Friday Harbor	Friday Harbor SPB	W33	39
Goldendale	Goldendale	S20	40
Greenwater	Ranger Creek State	21W	41
Hoquiam	Bowerman Field	HQM	42
Ilwaco	Port of Ilwaco	7W1	43
Ione	Ione Municipal	S23	44
Kahlotus	Lower Monumental State	W09	45
Kelso	Southwest Washington Regional	KLS	46
Kenmore (Lake Washington)	Kenmore Air Harbor SPB	S60	47
Kent	Crest Airpark	S36	48
Lakewood	American Lake SPB	W37	49
Langley	Whidbey Airpark	W10	50
Laurier	Avey Field	69S	51
Leavenworth	Lake Wenatchee State	27W	52
Lind	Lind Municipal	0S0	53
Lopez	Lopez Island	S31	54
Lynden	Lynden Municipal	38W	55
Mansfield	Mansfield	8W3	56
Mattawa	Desert Aire	M94	57
Mazama	Lost River	W12	58
Mead	Mead Flying Service	70S	59
Metaline Falls	Sullivan Lake State	09S	60
Monroe	Firstair Field	W16	61
Morton	Strom Field	39P	62
Moses Lake	Grant County International	MWH	63
Moses Lake	Moses Lake Municipal	W20	64

Washington State Airports – Alphabetical by City

City	Airport	FAA ID	Page
Oak Harbor	AJ Eisenberg	OKH	65
Ocean Shores	Ocean Shores Municipal	W04	66
Odessa	Odessa Municipal	43D	67
Okanogan	Okanogan Legion	S35	68
Olympia	Hoskins Field	44T	69
Olympia	Olympia Regional	OLM	70
Omak	Omak Municipal	OMK	71
Oroville	Dorothy Scott	0S7	72
Othello	Othello Municipal	S70	73
Packwood	Packwood	55S	74
Pasco	Tri-Cities	PSC	75
Point Roberts	Point Roberts Airpark	1RL	76
Port Angeles	William R. Fairchild International	CLM	77
Port Townsend	Jefferson County International	0S9	78
Poulsbo	Port of Poulsbo Marina Moorage SPB	83Q	79
Prosser	Prosser	S40	80
Pullman-Moscow (Idaho)	Pullman-Moscow Regional	PUW	81
Puyallup	Pierce County-Thun Field	PLU	82
Quillayute	Quillayute	UIL	83
Quincy	Quincy Municipal	80T	84
Renton	Renton Municipal	RNT	85
Renton	Will Rogers/Wiley Post Memorial SPB	W36	86
Republic	Ferry County	R49	87
Richland	Richland	RLD	88
Rimrock	Tieton State	4S6	89
Ritzville	Pru Field	33S	90
Roche Harbor	Roche Harbor SPB	W39	91
Rosalia	Rosalia Municipal	72S	92
Rosario	Rosario SPB	W49	93
Seattle	Boeing Field/King County International	BFI	94
Seattle (Lake Union)	Kenmore Air Harbor SPB	W55	95

Washington State Airports – Alphabetical by City

City	Airport	FAA ID	Page
Seattle (Lake Union)	Seattle Seaplanes SPB	ØWØ	96
Seattle	Seattle-Tacoma International	SEA	97
Sekiu	Sekiu	11S	98
Sequim	Sequim Valley	W28	99
Shelton	Sanderson Field	SHN	100
Silverdale	Apex	8W5	101
Skykomish	Skykomish State	S88	102
Snohomish	Harvey Field	S43	103
South Bend (Raymond)	Willapa Harbor	2S9	104
Spanaway	Shady Acres	3B8	105
Spanaway	Spanaway	S44	106
Spokane	Felts Field	SFF	107
Spokane	Spokane International	GEG	108
Stanwood	Camano Island Airfield	13W	109
Starbuck	Little Goose Lock & Dam State	16W	110
Stehekin	Stehekin State	6S9	111
Sultan	Sky Harbor	S86	112
Sunnyside	Sunnyside Municipal	1S5	113
Tacoma	Tacoma Narrows	TIW	114
Tekoa	Willard Field	73S	115
The Dalles, Oregon	Columbia Gorge Regional	DLS	116
Toledo	Ed Carlson Memorial Field- South Lewis County	TDO	117
Tonasket	Tonasket Municipal	W01	118
Twisp	Twisp Municipal	2SØ	119
Vancouver	Fly For Fun	W56	120
Vancouver	Pearson Field	VUO	121
Vashon	Vashon Municipal	2S1	122
Walla Walla	Walla Walla Regional	ALW	123
Warden	Warden	2S4	124
Waterville	Waterville	2S5	125
Wenatchee	Pangborn Memorial	EAT	126

Washington State Airports – Alphabetical by City

City	Airport	FAA ID	Page
Westport	Westport	14S	127
Wilbur	Wilbur Municipal	2S8	128
Wilson Creek	Wilson Creek	5W1	129
Winthrop	Methow Valley State	S52	130
Woodland	Woodland State	W27	131
Yakima	Yakima Air Terminal	YKM	132

Anacortes / **Anacortes** / 74S




Communications

CTAF 128.25
PCL CTAF (For MIRL & REILs)

Navigation

Elevation 241' MSL
TPA 1241' MSL (1000' AGL)
Runway 18/36; 3015'x60'; ASPH-GRVD
Lights Pilot Activated, MIRL
Latitude N 48° 29.91'
Longitude W122° 39.75'



Services

Fuel 100LL, Jet A (24-hour credit card fuel services for 100LL)

Notes

Right hand traffic runway 18. Unattended. No touch and go landings. Noise abatement procedures in effect. Rwy 36 preferred




Communications

CTAF 122.9

Navigation

Elevation 869' MSL
TPA 1869' MSL (1000' AGL)
Runway 09/27; 1471'x50'; TURF
Lights None
Latitude N 46° 04.47'
Longitude W 116° 57.97'



Services

Fuel None

Notes

Unattended. Check the AF/D and NOTAMS. Contact WSDOT Aviation (360-618-2477 or 1-800-552-0666) for additional information prior to use. Use at own risk.

Arlington / **Arlington Municipal** / AWO



Communications

AWOS-3 135.625
 CTAF/UNICOM 122.7
 PCL CTAF (For MALS Rwy 34)

Navigation

Elevation 142' MSL
 TPA 1200' MSL (1058' AGL);
 Ultralights 542' MSL (400' AGL);
 Helicopters 642' MSL (500' AGL)
 Runway 16/34; 5332'×100'; ASPH
 11/29; 3498'×75'; ASPH
 Lights Dusk-dawn, MIRL
 Latitude N 48° 09.38'
 Longitude W 122° 09.32'



Services

Fuel 100LL (24-hour credit card fuel services) Jet A

Notes

Right hand traffic runway 11 and 16. Glider and Ultralight activity.


Auburn / **Auburn Municipal** / S50



Communications	Navigation
-----------------------	-------------------

CTAF/UNICOM 122.8
 PCL CTAF (For REIL Rwy 34)

Elevation 63' MSL
 TPA 1063' MSL (1000' AGL)
 Runway 16/34; 3400'x75'; ASPH
 Lights Dusk-dawn, HIRL
 Latitude N 47° 19.66'
 Longitude W 122° 13.60'



Services

Fuel 100LL (24-hour credit card fuel services)

Notes	<p>Right hand traffic runway 16. Plan approach and departures to avoid noise. Sensitive residential area east of airport. Ultralights and hot air balloons prohibited. Super Unicom-click 3x for advisory.</p>
--------------	---

Bandera / **Bandera State** / 4W0



Communications

CTAF 122.9

Navigation

Elevation 1636' MSL
TPA 2636' MSL (1000' AGL)
Runway 08/26; 2344'x100'; TURF
Lights None
Latitude N 47° 23.72'
Longitude W 121° 32.19'



Services

Fuel None

Notes

Unattended. Check the AF/D and NOTAMS. Call WSDOT Aviation (360-618-2477 or 1-800-552-0666) for additional information prior to use. Use at own risk.

Battle Ground / Cedars North / W58



Communications

CTAF 122.9

Navigation

Elevation 275' MSL
TPA 1275' MSL (1000' AGL)
Runway 08/26; 1960'x50'; TURF
Lights None
Latitude N 45° 45.87'
Longitude W 122° 30.91'



Services

Fuel None

Notes

Unattended. Transition between runway and taxiway on marked taxiways only.

Battle Ground / Goheen / W52



Communications

CTAF 122.9
 PCL CTAF (For BCN & LIRL Rwy
 15/33)

Navigation

Elevation 292' MSL
 TPA 1292' MSL (1000' AGL)
 Runway 15/33; 2565'x50'; TURF
 07/25; 1500'x48'; TURF
 (emergency use only)
 Lights LIRL-NSTD, VASI
 Latitude N 45° 49.61'
 Longitude W 122° 34.61'



Services

Fuel None

Notes

Runway 07/25 for emergency use only. Culvert in center of runway 15/33. Runway 15 has NSTD single light VASI on both sides of runway.

Bellingham / **Bellingham International** / BLI



Communications

ATIS 134.45
 TWR 124.9
 GND 127.4
 CTAF 124.9
 UNICOM 122.95
 PCL CTAF (For MALSR & PAPI Rwy
 16; REIL Rwy 34 when twr is
 closed)

Navigation

Elevation 170' MSL
 TPA 1200' MSL fixed wing
 (1030' AGL); 700' MSL helo
 (530' AGL); 2000' MSL turbo
 (1830' AGL)
 Runway 16/34; 6701'x150'; ASPH-GRVD
 Lights Dusk-dawn, HIRL
 Latitude N 48° 47.56'
 Longitude W 122° 32.25'




Services

Fuel 100LL, Jet A

Notes

Right hand traffic on runway 16. Tower operations 0700-2230 local time. Noise abatement procedures in effect, contact airport mgr. 360-671-5674.

Bellingham / Floathaven SPB / ØW7



Communications

CTAF 122.9

Navigation

Elevation 307' MSL
TPA 1107' MSL (800' AGL)
Runway 12/30; 10000'x4000'; Water
Lights None
Latitude N 48° 44.14'
Longitude W 122° 20.40'



Services

Fuel None

Notes

Watch for canoe, sailboat, and hang glider activity. Land and take off in the center of the lake. Avoid flying over noise sensitive area during takeoff and landing.

Bremerton / **Bremerton National** / PWT




Communications

AWOS-3 121.2
 CTAF/UNICOM 123.05
 PCL CTAF (For MALSR Rwy 19; PAPI
 Rwy 01/19)

Navigation

Elevation 444' MSL
 TPA 1444' MSL (1000' AGL)
 Runway 02/20; 6000'x150'; ASPH
 Lights Dusk-dawn, HIRL
 Latitude N 47° 29.42'
 Longitude W 122° 45.89'



Services

Fuel 100LL, Jet A
 (24-hour credit card fuel services)

Notes

Right hand traffic on runway 01. Runway 19 designated calm wind runway.

Brewster / **Anderson Field** / S97



Communications

CTAF/UNICOM 122.8
PCL CTAF (For MIRL)

Navigation

Elevation 914' MSL
TPA 1714' MSL (800' AGL)
Runway 07/25; 4000'x60'; ASPH
Lights Dusk-dawn, MIRL
Latitude N 48° 06.29'
Longitude W 119° 43.24'



Services

Fuel 100LL (Emergency use only)

Notes

Unattended. Fuel emergency use only. See charter operator who lives on field. PAPI Rwy 25 OTS indef.

Burlington / Skagit Regional / BVS




Communications

AWOS-3 121.125 360-757-7767
 CTAF/UNICOM 123.075
 PCL CTAF(For MIRL, REILs & PAPIs
 Rwy 11/29; LIRL Rwy 04/22)
 PAPIs Rwy 04/22 operate
 continuously NDB: 240

Navigation

Elevation 145' MSL
 TPA 1145' MSL (1000' AGL); Ultralights
 645' MSL (500' AGL)
 Runway 11/29; 5478'x100'; ASPH
 04/22; 3000'x60'; ASPH
 Lights On demand with PCL, MIRL, LIRL
 Latitude N 48° 28.23'
 Longitude W 122° 25.30'



Services

Fuel 100LL, Jet A (24-hour credit card
 fuel services)

Notes

Attended: 1500 – 0100z. Terminal building open: 1400-0400z. Deer and birds on and in vicinity of runways. Helicopter training operations on airport with auto-rotations on runways. Use of Taxiway B by aircraft with wingspan 49' or greater prohibited when Rwy 04/22 in use. Thermal plumes in vicinity of exhaust stacks 1/3 mile SW of airport.

Camas / **Grove Field** / 1W1



Communications

CTAF 122.9
 PCL CTAF (For BCN & MIRL)

Navigation

Elevation 429' MSL
 TPA 1229' MSL (800' AGL)
 Runway 07/25; 2710'x40'; ASPH
 Lights NSTD MIRL
 Latitude N 45° 37.67'
 Longitude W 122° 24.26'



Services

Fuel 100LL (24-hour credit card fuel services for 100LL)

Notes

Unattended. Dspld. Thrd. runway 07- 493' – 2217' avail. Dspld. thrd. Rwy 25 – 413' – 2297' avail. Runway lighted only between dspld. thrd. Rwy 07/25 have 4 thld. stripes falsely indicating 60' width. Noise abatement procedures in effect, contact Port of Camas at 360-835-2196.

Cashmere / **Cashmere-Dryden** / 8S2



Communications

CTAF 122.9
 PCL 121.7 (For MIRL)

Navigation

Elevation 858' MSL
 TPA 1858' MSL (1000' AGL)
 Runway 07/25; 1800'x50'; ASPH
 Lights Dusk-dawn, MIRL
 Latitude N 47° 30.88'
 Longitude W 120° 29.08'



Services

Fuel None

Notes

Unattended. Ground vehicles and pedestrians use taxiway for hangar and residential access. Exit runway at taxiways only. Radio control model activity permitted on W end of airport.

Chehalis / **Chehalis-Centralia** / CLS



Communications

AWOS-3 118.025
CTAF/UNICOM 122.8
PCL CTAF (For MIRL)

Navigation

Elevation 177' MSL
TPA 1201' MSL (1024' AGL)
Runway 16/34; 5000'x140'; CONC
Lights Dusk-dawn, MIRL
Latitude N 46° 40.62'
Longitude W 122° 58.97'



Services

Fuel 100LL, Jet A

Notes

Right hand traffic on runway 16.

Chelan / **Lake Chelan** / S10



Communications	Navigation
-----------------------	-------------------

CTAF/UNICOM 122.95
 PCL CTAF (For MIRL)

Elevation 1263' MSL
 TPA. 2000' MSL (737' AGL)
 Runway 02/20; 3503'x60'; ASPH
 Lights Dusk-dawn, MIRL
 Latitude N 47° 51.96'
 Longitude W 119° 56.56'



Services

Fuel 100LL, Jet A (24-hour credit card fuel services)

Notes	<p>Right hand traffic on runway 02. Dspld. Thrd. Rwy 02- 447' – 3056' avail. Dspld. Thrd. Rwy 20- 197' – 3056' avail. Seaplane parking at Chelan Airways by permission only.</p>
--------------	---

Chewelah / **Sand Canyon** / 1S9




Communications

CTAF 122.9
PCL CTAF (For MIRL)

Navigation

Elevation 2084' MSL
TPA 3084' MSL (1000' AGL)
Runway 17/35; 3446'x48'; ASPH
Lights Dusk-dawn, MIRL
Latitude N 48° 18.84'
Longitude W 117° 44.60'



Services

Fuel None

Notes

Right hand traffic on runway 17. Unattended. Dspld. thrd. Rwy 17 - 230' - 3216' avail. Dspld. thrd. Rwy 35- 101' - 3345' avail. Deer and wildlife on and in vicinity of airport.

Colfax / Lower Granite State / ØØW




Communications

CTAF 122.9

Navigation

Elevation 719' MSL
TPA 1719' MSL (1000' AGL)
Runway 14/32; 3400'x50'; Gravel
Lights None
Latitude N 46° 40.21.63437
Longitude W 117° 26.29.92294



Services

Fuel None

Notes

Unattended. Check the AF/D and NOTAMS for open periods. Call WSDOT Aviation (360-618-2477 or 1-800-552-0666) for additional information prior to use. Use at own risk.

Colfax / **Port of Whitman Business Air Center** / S94




Communications

CTAF/UNICOM 122.8
 PCL CTAF (For MIRL)

Navigation

Elevation 2181' MSL
 TPA 3010' MSL (829' AGL)
 Runway 07/25; 3209'x60'; ASPH
 Lights NSTD MIRL
 Latitude N 46° 51.52'
 Longitude W 117° 24.84'



Services

Fuel 100LL (available for emergencies,
 call 509-397-3791)

Notes

Dspld. thrd. Rwy 07 - 492' - 2717' avail. Dspld. thrd. Rwy 25 - 319' - 2759' avail. Rwy 07-25 farm machinery may be operating in fields on both sides of rwy and off both rwy ends.

College Place / **Martin Field** / S95




Communications

CTAF/UNICOM 122.8
PCL 122.8 (For LIRL & VASIs)

Navigation

Elevation 746' MSL
TPA 1746' MSL (1000' AGL)
Runway 05/23; 3819'x60'; ASPH
Lights NSTD LIRL
Latitude N 46° 02.82'
Longitude W 118° 25.03'



Services

Fuel 100LL (24-hour credit card fuel services)

Notes

Caution: Ultralight operations. Noise sensitive area. If wind is calm, take off on runway 23 and land on runway 05. No touch and gos. Parking fee. Auto fuel available.


Colville / **Colville Municipal** / 63S



Communications	Navigation
-----------------------	-------------------

CTAF/UNICOM 122.8
 PCL CTAF (For MIRL)

Elevation 1882'
 TPA 2882' MSL (1000' AGL)
 Runway 01/19; 2695'x40'; ASPH
 Lights MIRL
 Latitude N 48° 32.63'
 Longitude W 117° 53.03'



Services

Fuel 100LL (24-hour credit card fuel services)

Notes	Dspld. thrd. Rwy 19 - 255' - 2440' avail. Watch for deer on or near vicinity of airport. Occasional vehicular trfc across end of runway 01-19 and twy. Courtesy car available. Grass strip 75 x 1500 available southeast of RWY 1/19 midfield for emergencies, high winds, or training only – caution advised.
--------------	--

Concrete / **Concrete Municipal** / 3W5




Communications

CTAF 122.9

Navigation

Elevation 267' MSL
TPA 1267' MSL (1000' AGL)
Runway 07/25; 2609'x60'; ASPH
Lights None
Latitude N 48° 31.79'
Longitude W 121° 45.49'



Services

Fuel None

Notes

Right hand traffic on runway 07. Unattended. Helipad H1: 40'x40' (CONC.)

Copalis Beach / Copalis State / S16



Communications

CTAF 122.9

Navigation

Elevation 01' MSL
TPA. 1001' MSL (1000' AGL)
Runway 14/32; 3430'x150'; Sand
Lights None
Latitude N 47° 08.68'
Longitude. W 124° 11.34'



Services

Fuel None

Notes

Right hand traffic on runway 14. Check the AF/D and NOTAMS for open periods. Call WSDOT Aviation (360-618-2477 or 1-800-552-0666) for additional information prior to use. Use at own risk. Note OCNMS overflight rules: <http://sanctuaries.noaa.gov/flight/ocnms.html>

Darrington / **Darrington Municipal** / 1S2



Communications

CTAF 122.9
PCL CTAF (For MIRL)

Navigation

Elevation 553' MSL
TPA 1553' MSL (1000' AGL)
Runway 10/28; 2491'x40'; ASPH
Lights Dusk-dawn, MIRL
Latitude N 48° 15.52'
Longitude W 121° 36.61'



Services

Fuel None

Notes

Unattended. Turbulent air on hot days. Closed when snow on runway. Taxiways marked with blue reflectors. MIRL 10-28 OTS indef.

Easton / **Easton State** / ESW



Communications **Navigation**

CTAF 122.9

Elevation 2226' MSL
TPA 3226' MSL (1000' AGL)
Runway 09/27; 2640'x100'; TURF
Lights Dusk-dawn, MIRL
Latitude N 47° 15.25'
Longitude W 121° 11.13'



Services

Fuel None

Notes Check the AF/D and NOTAMS for open periods. Call WSDOT Aviation (360-618-2477 or 1-800-552-0666) for additional information prior to use. Use at own risk.


Eastsound / Orcas Island / ORS



Communications	Navigation
-----------------------	-------------------

AWOS-3 135.425
 CTAF 128.25
 PCL CTAF; Rwy 16 VASI, REILS,
 TAXIWAY

Elevation 31' MSL
 TPA 1031' MSL (1000' AGL)
 Runway 16/34; 2900'x60'; ASPH
 Lights Dusk-dawn, MIRL
 Latitude N 48° 42.50'
 Longitude W 122° 54.64'



Services

Fuel 100 LL (24-hour credit card fuel services)

Notes **Right hand traffic on runway 34.** Watch for deer on runway. Observe noise abatement procedures. Camping on field. Additional transient turf tie downs south of segmented circle. PAPI baffled W of centerline, lateral coverage has been narrowed to avoid obstacles, during decent close alignment to rwy centerline is necessary.

Eatonville / Swanson Field / 2W3



Communications	Navigation
-----------------------	-------------------

CTAF 122.9
 PCL 122.9 (For MIRL)

Elevation 843' MSL
 TPA 1643' MSL (800' AGL)
 Runway 16/34; 2990'x36'; ASPH
 Lights Dusk-dawn, MIRL
 Latitude N 46° 52.30'
 Longitude W 122° 15.43'



Services

Fuel None

Notes	Right hand traffic on runway 16. Watch for deer on airport. Buildings are in close proximity to rwy. Gravel svc road around Rwy 16–34 not avbl for acct ops.
--------------	---

Electric City / **Grand Coulee Dam** / 3W7



Communications

CTAF 122.9
PCL 122.9 (For MIRL)

Navigation

Elevation 1588' MSL
TPA 2400' MSL (812' AGL)
Runway 03/21; 4199'x75'; ASPH
Lights Dusk-dawn, MIRL
Latitude N 47° 55.32'
Longitude W 119° 04.98'



Services

Fuel None

Notes

Right hand traffic on runway 21. Unattended. Courtesy car available. Directions for use available on the information display board.


Ellensburg / **Bowers Field** / ELN



Communications	Navigation
-----------------------	-------------------

ASOS 118.375
 CTAF/UNICOM 123.0
 PCL CTAF (For MIRL Rwy 11/29;
 approach lights Rwy 29)

Elevation 1764' MSL
 TPA 2598' MSL (834' AGL)
 Runway 07/25; 5590'×150'; ASPH
 11/29; 4301'×150'; ASPH
 Lights MIRL 11/29; None 07/25
 Latitude N 47° 01.98'
 Longitude W 120° 31.84'



Services

Fuel 100LL, Jet A

Notes	Runway 07-25 CLOSED December 15 thru February 28, no maintenance avail. Runway 07-25 has weeds growing through cracks in pavement first 2,000'.
--------------	---

Ephrata / **Ephrata Municipal** / EPH



Communications

ASOS 135.775
 CTAF/UNICOM 122.8
 PCL CTAF

Navigation

Elevation 1276' MSL
 TPA 2100' MSL (825' AGL); Ultralight
 1526' MSL (250' AGL)
 Runway 03/21; 5500'×75'; ASPH
 04/22 3467'×150'; ASPH
 |11/29; 3843'×60'; ASPH
 Lights Dusk-dawn, MIRL
 Latitude N 47° 18.48'
 Longitude W 119° 31.01'



Services

Fuel 100LL, Jet A (24-hour credit card fuel services)

Notes

Right hand traffic on runways 03 and 22. Runway 04-22 for gliders only. Be alert aerobatic aircraft over center of airport.

Forks / Forks Municipal / S18




Communications

CTAF 122.9

Navigation

Elevation 299' MSL
TPA 1299' MSL (1000' AGL)
Runway 04/22; 2400'x75'; ASPH
Lights Dusk-dawn, MIRL
Latitude N 47° 56.26'
Longitude W 124° 23.76'



Services

Fuel None

Notes

Right hand traffic on runway 22. Unattended. Wildlife on and in vicinity of airport.

Friday Harbor / **Friday Harbor** / FHR




Communications

ASOS 135.675
CTAF 128.25
PCL CTAF (For BCN & MIRL; REIL
Rwy 34)

Navigation

Elevation 113' MSL
TPA 1113' MSL (1000' AGL)
Runway 16/34; 3402'x75'; ASPH
Lights MIRL
Latitude N 48° 31.32'
Longitude W 123° 01.46'



Services

Fuel 100LL (24-hour credit card fuel services)

Notes

Right hand traffic on runways 16 and 34. Use landing lights when in vicinity of airport. Noise abatement procedures in effect.


Friday Harbor / **Friday Harbor SPB** / W33



Communications **Navigation**

CTAF 128.25
 PCL CTAF
 (For seaplane ops warning lights)

Elevation 0' MSL TPA 800' MSL
 Runway 03/21; 10000'x2000'; Water
 12/30; 6000'x1000'; Water
 Lights Warning lights
 Latitude N 48° 32.24'
 Longitude W 123° 00.58'



Services

Fuel None

Notes Unattended. All tkfs should be performed N of Browns Island. Seaplanes ops warning lgts OTS indef. US customs user fee arpt. Flight Notification Service (ADCUS) available.

Goldendale / **Goldendale** / S20



Communications	Navigation
-----------------------	-------------------

CTAF 122.9

Elevation 1678' MSL
 TPA..... 2678' MSL (1000' AGL)
 Runway 07/25; 3491'x40'; ASPH
 Lights Dusk-dawn, MIRL
 Latitude N 45° 49.92'
 Longitude..... W 120° 50.72'




Services

Fuel None

Notes	Unattended. Dspld. thrd. Rwy 25- 330' – 3161' avail. NSTD white line crosses rwy near Rwy 07 marking. NSTD white line crosses rwy near Rwy 25 marking.
--------------	--

Greenwater / **Ranger Creek State** / 21W




Communications

CTAF 122.9

Navigation

Elevation 2650' MSL
TPA 3650' MSL (1000' AGL)
Runway 15/33; 2875'x30'; ASPH
Lights None
Latitude N 47° 00.79'
Longitude W 121° 32.02'



Services

Fuel None

Notes

Check the AF/D and NOTAMS for open periods. Call WSDOT Aviation (360-618-2477 or 1-800-552-0666) for additional information prior to use. Use at own risk.

Hoquiam / **Bowerman Field** / HQM




Communications

ASOS 135.775
 CTAF/UNICOM 122.7
 PCL CTAF (For HIRL, MALSR Rwy 24;
 REIL Rwy 06)

Navigation

Elevation 18' MSL
 TPA 1000' MSL (982' AGL)
 Runway 06/24; 5000'×150'; ASPH
 Lights Dusk-dawn, HIRL
 Latitude N 46° 58.27'
 Longitude W 123° 56.19'



Services

Fuel 100LL, Jet A1+ (24-hour credit
 card fuel services for 100LL)
 Jet A, call 360-533-6655
 (1700-0100Z) or 360-310-0201
 (0100-1700Z)

Notes

Right hand traffic on runway 06. Unattended. Watch for waterfowl on and in vicinity of airport. Ultralights prohibited without written permission.


Ilwaco / **Port of Ilwaco** / 7W1



Communications **Navigation**

CTAF 122.9
 PCL CTAF (For MIRL)

Elevation 13' MSL
 TPA. 1013' MSL (1000' AGL)
 Runway 10/28; 2080'x50'; ASPH
 Lights Dusk-dawn, MIRL
 Latitude N 46° 18.89'
 Longitude W 124° 00.23'



Services

Fuel None

Notes Unattended. Dspld. thrd. Rwy 28- 300' – 1990' avail.

lone / **lone Municipal** / S23




Communications

CTAF 122.9

Navigation

Elevation 2108' MSL
TPA 2908' MSL (800' AGL)
Runway 15/33; 4059'x45'; ASPH
Lights Dusk-dawn, MIRL
Latitude N 48° 42.48'
Longitude W 117° 24.78'



Services

Fuel None

Notes

Unattended. Wildlife in vicinity of airport.




Communications

CTAF 122.9

Navigation

Elevation 813' MSL
 TPA 1813' MSL (1000' AGL)
 Runway 01/19; 3300'x50'; Gravel
 Lights None
 Latitude N 46° 32.59.97902
 Longitude W 118° 32.11.35940



Services

Fuel None

Notes

Check the AF/D and NOTAMS. Call WSDOT Aviation (360-618-2477 or 1-800-552-0666) for additional information prior to use. Use at own risk.

Kelso / Southwest Washington Regional / KLS




Communications

AWOS-3 135.075
 CTAF/UNICOM 122.8
 PCL CTAF (For MIRL)

Navigation

Elevation 20' MSL
 TPA 1020' MSL (1000' AGL)
 Runway 12/30; 4391'x100'; ASPH
 Lights NSTD, MIRL
 Latitude N 46° 07.08'
 Longitude W 122° 53.90'



Services

Fuel 100LL, Jet A (24-hour credit card fuel services for 100LL)

Notes

Right hand traffic on runway 12. Numerous flocks of birds on and in vicinity of arpt.

Kent / **Crest Airpark** / S36



Communications

CTAF/UNICOM 123.0

Navigation

Elevation 472' MSL
TPA 1472' MSL (1000' AGL)
Runway 15/33; 3288'x40'; ASPH
Lights Dusk-dawn, LIRL
Latitude N 47° 20.23'
Longitude W 122° 06.21'



Services

Fuel 100LL (24-hour credit card fuel services)

Notes


Night ops. use Rwy 15, wind and weather permitting. Dspld. thrlrd. Rwy 33 – 281' – 3007' avail.



Communications	Navigation
-----------------------	-------------------

CTAF 122.9

Elevation 235' MSL
 TPA. 935' MSL (700' AGL)
 Runway 02/20; 5500'x500'; Water
 Lights None
 Latitude N 47° 08.49'
 Longitude W 122° 33.66'



Services

Fuel None

Notes	Swimmers and boaters in area. Use noise abatement procedures. Underlies McChord AFB Class D airspace.
--------------	---

Langley / Whidbey Airpark / W10




Communications

CTAF 122.9

Navigation

Elevation 271' MSL
TPA 1071' MSL (800' AGL)
Runway 16/34; 2470'x25'; ASPH
Lights None
Latitude N 48° 01.05'
Longitude W 122° 26.26'



Services

Fuel None

Notes

Unattended.

Laurier / **Avey Field** / 69S



Communications	Navigation
-----------------------	-------------------

CTAF 122.9

Elevation 1655' MSL
 TPA 2655' MSL (1000' AGL)
 Runway 17/35; 1975'x40'; Gravel
 Lights None
 Latitude N 48° 59.90'
 Longitude W 118° 13.36'



Services

Fuel None

Notes	Unattended. Vehicles, pedestrians and animals on and in vicinity of rwy. Shoulders very soft and rough both sides of rwy. Contact owner for facility information prior to use. Canadian and U.S. customs available on hwy to the west. U.S. based acct should park on the U.S. side of ramp (south) and Canadian based acct should park on north side of ramp.
--------------	--

Leavenworth / **Lake Wenatchee State** / 27W



Communications **Navigation**

CTAF 122.9

Elevation 1939' MSL
TPA 2939' MSL (1000' AGL)
Runway 09/27; 2473'x100'; TURF
Lights None
Latitude N 47° 49.16'
Longitude W 120° 43.19'



Services

Fuel None

Notes Check the AF/D and NOTAMS for open periods. Call WSDOT Aviation (360-618-2477 or 1-800-552-0666) for additional information prior to use. Use at own risk.

Lind / Lind Municipal / ØSØ




Communications

CTAF 122.9

Navigation

Elevation 1507' MSL
TPA 2507' MSL (1000' AGL)
Runway 05/23; 3197'×50'; ASPH
Lights Dusk-dawn, MIRL
Latitude N 46° 58.61'
Longitude W 118° 35.23'



Services

Fuel None

Notes

Unattended. East end of rwy has 800' × 50' dirt graded safety area.

Lopez / Lopez Island / S31




Communications

CTAF 128.25

Navigation

Elevation 209' MSL
TPA 1209' MSL (1000' AGL)
Runway 16/34; 2904'x60'; ASPH
Lights Dusk-dawn, LIRL
Latitude N 48° 29.03'
Longitude W 122° 56.26'



Services

Fuel None

Notes

Right hand traffic on runway 16. Unattended. Rwy 16-34 soft shoulders and thlds.

Lynden / Lynden Municipal / 38W



Communications	Navigation
-----------------------	-------------------

CTAF 122.9
 PCL CTAF (For MIRL & BCN)

Elevation 106' MSL
 TPA 1106' MSL (1000' AGL)
 Runway 07/25; 2425'x40'; ASPH
 Lights NSTD, MIRL
 Latitude N 48° 57.35'
 Longitude W 122° 27.49'



Services

Fuel 100LL (24-hour credit card fuel services)

Notes	Unattended. Night landings should be performed on runway 07, wind permitting. Dspld. thrid. Rwy 07 - 262' - 2163' avail. Dspld. thrid. Rwy 25 - 433' - 1992' avail.
--------------	---


Mansfield / **Mansfield** / 8W3



Communications **Navigation**

CTAF 122.9

Elevation 2274' MSL
TPA 2274' MSL (1000' AGL)
Runway 03/21; 2575'x46'; ASPH
Lights Dusk-dawn, MIRL
Latitude N 47° 48.56'
Longitude W 119° 38.23'



Services

Fuel None

Notes Unattended. Possible turbulence from grain elevators N side of arpt. Relocated threshold Rwy 21 - 162' - 2413' avail.

Mattawa / Desert Aire / M94



Communications

CTAF 122.8
 PCL CTAF (For MIRL & BCN)

Navigation

Elevation 586' MSL
 TPA 1586' MSL (1000' AGL)
 Runway 10/28; 3665'x34'; ASPH
 Lights MIRL
 Latitude N 46° 41.24'
 Longitude W 119° 55.18'



Services

Fuel None

Notes

Right hand traffic on runway 28. Unattended. Rwy 10 preferred low wind. Touch and go landings prior to 0800. Noise abatement take-off procedure posted at arpt. Long final and extended base approaches to runway 28 not advised due to close proximity of low flying fast military jets.

Mazama / Lost River / W12



Communications

CTAF 122.9

Navigation

Elevation 2415' MSL
TPA 3415' MSL (1000' AGL)
Runway 11/29; 3150'x85';
TURF-Gravel
Lights None
Latitude N 48° 38.98'
Longitude W 120° 30.12'



Services

Fuel None

Notes

Unattended. Watch for vehicles on rwy. Arpt CLOSED Nov. 1 thru April 1.

Mead / Mead Flying Service / 70S




Communications

CTAF 122.9

Navigation

Elevation 1905' MSL
TPA 2505' MSL (600' AGL)
Runway 16/34; 2481'x30'; ASPH
Lights None
Latitude N 47° 47.23'
Longitude W 117° 21.49'



Services

Fuel None

Notes

No winter maintenance.

Metaline Falls / **Sullivan Lake State** / Ø9S




Communications

CTAF 122.9

Navigation

Elevation 2614' MSL
TPA..... 3614' MSL (1000' AGL)
Runway 16/34; 1765'×100'; TURF
Lights None
Latitude N 48° 50.45'
Longitude W 117° 17.04'



Services

Fuel None

Notes

Check the AF/D and NOTAMS. Call WSDOT Aviation (360-618-2477 or 1-800-552-0666) for additional information prior to use. Use at own risk.

Monroe / Firstair Field / W16



Communications	Navigation
-----------------------	-------------------

CTAF 122.9

Elevation 50' MSL
 TPA 1050' MSL (1000' AGL)
 Runway 07/25; 2087'x34'; ASPH
 Lights None
 Latitude N 47° 52.28'
 Longitude W 121° 59.71'



Services

Fuel None

Notes	Right hand traffic on runway 07. Dspld. thrd. Rwy 25 - 500' - 1587' avail. Parachute operations in area. Transient parking area has no tie down ropes. Additional transient parking avbl SE corner of rwy.
--------------	---


Morton / **Strom Field** / 39P



Communications	Navigation
-----------------------	-------------------

CTAF 122.9
 PCL CTAF (For MIRL & BCN)

Elevation 941' MSL
 TPA 1941' MSL (1000' AGL)
 Runway 07/25; 1810'x40'; ASPH
 Lights Dusk-dawn, NSTD, MIRL
 Latitude N 46° 33.02'
 Longitude W 122° 16.00'



Services

Fuel None

Notes	Unattended. Dspld. thrd. Rwy 07 - 200' - 1610' avail. Dspld. thrd. Rwy 25 - 200' - 1610' avail. Deer and elk on and in vicinity of runway.
--------------	--

Moses Lake / Grant County International / MWH



Communications	Navigation
----------------	------------

ATIS 119.05
 TWR 118.25 (East) 128.0 (West)
 GND 121.9
 CTAF 118.25
 UNICOM 122.95
 PCL CTAF (For MALSR Rwy 32R)

Elevation 1189' MSL
 TPA 2000' MSL (811' AGL)
 Runway 14L/32R; 13503'x200'; ASPH-
 CONC-Grvd
 04/22; 10000'x100'; ASPH-Grvd
 09/27; 3500'x90'; CONC
 18/36; 3327'x75'; ASPH
 14R/32L; 2936'x75'; CONC
 Lights Dusk-dawn, NSTD, HIRL, MIRL
 Latitude N 47° 12.52'
 Longitude W 119° 19.15'



Services

Fuel 80, 100LL, Jet A, A1+

Notes	Right hand traffic on runway 18, 32R, 14R, 22, and 27. Tower operation 0600-2200 local time. Flocks of large birds in vicinity of airport.
--------------	--

Moses Lake / Moses Lake Municipal / W20



Communications	Navigation
-----------------------	-------------------

ATIS 119.05 (Grant County)
 CTAF/UNICOM 123.0

Elevation 1203' MSL
 TPA 2003' MSL (800' AGL)
 Runway 16/34; 2513'x50'; ASPH
 Lights Dusk-dawn, MIRL
 Latitude N 47° 08.52'
 Longitude W 119° 14.27'



Services

Fuel 100LL

Notes	<p>Right hand traffic on runway 34. Dspld. thrd. Rwy 16 - 466' - 2047' avail. Dspld. thrd. Rwy 34 - 253' - 2260' avail. Caution: Large aircraft operating in area. Bird hazard. Ultralight opr. Requested to obtain arpt safety briefing from arpt mgr prior to initial use of airport.</p>
--------------	--


Oak Harbor / **AJ Eisenberg** / OKH



Communications	Navigation
-----------------------	-------------------

AWOS-3 132.775
 ATIS 134.15
 CTAF/UNICOM 122.8
 PCL CTAF (For LIRL)

Elevation 193' MSL
 TPA 1193' MSL (1000' AGL)
 Runway 07/25; 3265'x25'; ASPH
 Lights NSTD, LIRL
 Latitude N 48° 15.09'
 Longitude W 122° 40.42'



Services

Fuel 100LL, MOGAS

Notes	Right hand traffic on runway 07. Unattended. Dspld. thrd. Rwy 07 - 507' - 2758' avail. Ultralights and gliders need prior approval.
--------------	--

Ocean Shores / Ocean Shores Municipal / W04




Communications

CTAF 122.9
 PCL 122.8 (For MIRL & PAPI)

Navigation

Elevation 15' MSL
 TPA 1002' MSL (987' AGL)
 Runway 15/33; 3100'x50'; ASPH
 Lights Dusk-dawn, MIRL
 Latitude N 46° 59.95'
 Longitude W 124° 08.54'



Services

Fuel None

Notes

Right hand traffic on runway 33. Unattended. Seabirds in safety and taxi areas and adjacent wetland. Parking ramp has loose gravel.

Odessa / **Odessa Municipal** / 43D



Communications

CTAF 122.9
PCL 122.8 (For MIRL & BCN)

Navigation

Elevation 1737' MSL
TPA 2737' MSL (1000' AGL)
Runway 02/20; 3125'x60'; ASPH
Lights MIRL
Latitude N 47° 20.86'
Longitude W 118° 40.64'



Services

Fuel None

Notes

Unattended.

Okanogan / Okanogan Legion / S35



Communications

CTAF/UNICOM 122.8
PCL CTAF (For MIRL)

Navigation

Elevation 1042' MSL
TPA 1842' MSL (800' AGL)
Runway 04/22; 2533'x36'; ASPH
Lights Dusk-dawn, MIRL
Latitude N 48° 21.72'
Longitude W 119° 34.05'



Services

Fuel 100LL 24 hour cardlock / Master Card, Visa / 509-422-3600

Notes

Right hand traffic on runway 22. Unattended.


Olympia / **Hoskins Field** / 44T



Communications	Navigation
-----------------------	-------------------

CTAF 122.9

Elevation 213' MSL
 TPA..... 1213' MSL (1000' AGL)
 Runway 07/25; 2015'x116'; TURF
 Lights None
 Latitude N 46° 59.54'
 Longitude W 122° 49.67'



Services

Fuel None

Notes	Unattended. Noise abatement procedures in effect call airport manager 360-491-6723. No helicopters. No ultralights. Geese and ducks on and in arpt. Mole hills west end. Recommend land Rwy 07, depart 25 when wind permits. Rwy 07–25 no line of sight between rwy ends.
--------------	--


Olympia / **Olympia Regional** / OLM



Communications	Navigation
-----------------------	-------------------

ATIS/ASOS 135.725
 TWR. 124.4
 GND. 121.6
 CTAF 124.4
 UNICOM 122.95
 PCL CTAF (For HIRL Rwy 17/35;
 MALSR Rwy 17; PAPI Rwy
 17/35; REIL Rwy 35; twy lights,
 and directional signage when twr
 closed)

Elevation 209' MSL
 TPA. 1209' MSL (1000' AGL)
 Runway 17/35; 5500'×150'; ASPH-GRVD
 08/26; 4157'×150'; ASPH
 Lights Dusk-dawn, HIRL
 Latitude N 46° 58.16'
 Longitude W 122° 54.15'



Services

Fuel 100LL, Jet A

Notes	Right hand traffic on runways 08 and 35. Tower operation 0800-2000 local time.
--------------	--

Omak / Omak Municipal / OMK



Communications

ASOS 118.325
CTAF/UNICOM 122.8
PCL CTAF (For HIRL)

Navigation

Elevation 1305' MSL
TPA 2105' MSL (800' AGL)
Runway 17/35; 4667'×150'; ASPH
Lights Dusk-dawn, HIRL
Latitude N 48° 27.87'
Longitude W 119° 31.08'



Services

Fuel 100LL, Jet A (24-hour credit card fuel services)

Notes

Unattended.

Oroville / Dorothy Scott / ØS7



Communications

CTAF 122.9
PCL CTAF (For MIRL)

Navigation

Elevation 1064' MSL
TPA 2064' MSL (1000' AGL)
Runway 15/33; 4014'x50'; ASPH
Lights Dusk-dawn, MIRL
Latitude N 48° 57.54'
Longitude W 119° 24.72'



Services

Fuel 100LL (24-hour credit card fuel services)

Notes

Right hand traffic on runway 15. U.S. Customs and Border protection services available (509-476-2955). Wildlife adjacent to rwy and twy.

Othello / **Othello Municipal** / S70



Communications

CTAF 122.9
PCL CTAF (For MIRL; PAPI Rwy 25)

Navigation

Elevation 1149' MSL
TPA 1939' MSL (800' AGL)
Runway 07/25; 4000'x75'; ASPH
Lights Dusk-dawn, MIRL
Latitude N 46° 47.69'
Longitude W 119° 04.75'



Services

Fuel 100LL (24-hour credit card fuel services) Jet A, call 509-488-2544

Notes

Unattended. Farm machinery parked in primary sfc south of centerline.

Packwood / **Packwood** / 55S



Communications Navigation

CTAF 122.9
PCL CTAF (For MIRL)

Elevation 1057' MSL
TPA 2057' MSL (1000' AGL)
Runway 01/19; 2356'x38'; ASPH
Lights Dusk-dawn, MIRL
Latitude N 46° 36.25'
Longitude W 121° 40.67'



Services

Fuel None

Notes

Unattended. Rwy 01-19 soft shoulders both sides, use rwy for back taxi.


Pasco / Tri-Cities / PSC



Communications	Navigation
----------------	------------

ATIS 125.65
 TWR 135.3
 GND 121.8
 CL DEL. 120.0
 CTAF 135.3
 UNICOM 122.95
 PCL CTAF (For HIRL Rwy 03L/21R;
 MIRL Rwy 12/30; MALSR Rwy
 21R; ODALS Rwy 30 when twr
 closed)

Elevation 410' MSL
 TPA 1410' MSL (1000' AGL)
 Runway 03L/21R; 7711'x150'; ASPH-GRVD
 12/30; 7703'x150'; ASPH-GRVD
 03R/21L; 4423'x75'; ASPH
 Lights Dusk-dawn, HIRL, MIRL
 Latitude N 46° 15.88'
 Longitude W 119° 07.14'



Services

Fuel 100LL, Jet A1+ (For fuel after
 hours, call 509-547-6271) SullinAir
 Jet Center provides Jet A, Jet
 A/Priest and 100LL. Hours of
 operation 8 a.m. to 6 p.m. (after
 hours call 509-545-6524)

Notes	Right hand traffic on runways 03R and 21R. Dspld. thrd. Rwy 21R - 600' - 7111' avail. Dspld. thrd. Rwy 30 - 200' - 7503' avail. Twr hours 0600-2200 local time. Waterfowl on and in vicinity of arpt. spring and fall.
--------------	---

Point Roberts / Point Roberts Airpark / 1RL



Communications

CTAF/UNICOM 122.8

Navigation

Elevation 11' MSL
TPA 1011' MSL (1000' AGL)
Runway 16/34; 2265'×125'; Turf
Lights None
Latitude N 48° 58.63'
Longitude W 123° 04.75'



Services

Fuel None

Notes

Right hand traffic on runway 16. When able, land to the N and depart to S. Traffic pattern W of field over water. Noise abatement procedures in effect, contact airport manager.


Port Angeles / **William R. Fairchild International** / CLM



Communications	Navigation
-----------------------	-------------------

ASOS 135.175
 CTAF/UNICOM 122.975
 PCL CTAF (For MIRL Rwy 08/26;
 MALSR Rwy 08)

Elevation 291' MSL
 TPA 1300' MSL (1009' AGL)
 Runway 08/26; 6347'×150'; ASPH-GRVD
 13/31; 3245'×50'; ASPH
 Lights Dusk-dawn, MIRL
 Latitude N 48° 07.21'
 Longitude W 123° 29.98'



Services

Fuel 100LL, Jet A (For after hours Jet A,
 call 360-452-6226)

Notes	Right hand traffic on runways 26 and 31. Waterfowl and birds on and in vicinity of airport.
--------------	--


Port Townsend / **Jefferson County International** / ØS9



Communications	Navigation
-----------------------	-------------------

CTAF/UNICOM 123.0
 PCL CTAF (For MIRL)

Elevation 110' MSL
 TPA 1000' MSL (890' AGL)
 Runway 09/27; 3000'x75'; ASPH
 Lights Dusk-dawn, MIRL
 Latitude N 48° 03.23'
 Longitude W 122° 48.64'



Services

Fuel 100LL (24-hour credit card fuel services)

Notes	Right hand traffic on runway 09. Noise abatement procedures in effect, call airport manager at 360-385-0656. Tkf and ldg prohibited on turf next to rwy.
--------------	---

Poulsbo / **Port of Poulsbo Marina Moorage SPB** / 83Q




Communications

CTAF 122.9

Navigation

Elevation 30' MSL
TPA 800' MSL (800' AGL)
Runway 13/31; 12000'x4000'; Water
Lights None
Latitude N 47° 43.26'
Longitude W 122° 38.53'



Services

Fuel None

Notes

None.

Prosser / **Prosser** / S40



Communications

CTAF/UNICOM 122.8
AWOS121.125MHz
PCL CTAF (For MIRL & REILs)

Navigation

Elevation 705' MSL
TPA. 1505' MSL (800' AGL)
Runway 07/25; 3451'x60'; ASPH
Lights Dusk-dawn, MIRL
Latitude N 46° 12.80'
Longitude W 119° 47.73'



Services

Fuel 100LL

Notes

Right hand traffic on runway 25. Twys marked for night operations with retroreflective devices.


Pullman-Moscow (Idaho) / **Pullman-Moscow Regional** / PUW



Communications **Navigation**

ASOS 135.675
 CTAF/UNICOM 122.8
 PCL CTAF (For HIRL & REILs)

Elevation 2556' MSL
 TPA 3356' MSL (800' AGL)
 Runway 06/24; 6730'×100'; ASPH-GRVD
 Lights Dusk-dawn, HIRL
 Latitude N 46° 44.63'
 Longitude W 117° 06.58'



Services

Fuel 100LL, Jet A

Notes Dspld. thrd. Rwy 06 - 290' - 6440' avail. Dspld. thrd. Rwy 24 - 801' - 5929' avail. Aircraft must delay taxiing when large aircraft operations are in progress. No parking between rwy and taxiway and within 30' of taxiway to the NW.

Puyallup / **Pierce County-Thun Field** / PLU



Communications

AWOS-3 128.575
 CTAF/UNICOM 122.7
 PCL CTAF (For MIRL)

Navigation

Elevation 538' MSL
 TPA 1538' MSL (1000' AGL)
 Runway 16/34; 3650'x60'; ASPH
 Lights Dusk-dawn, MIRL
 Latitude N 47° 06.24'
 Longitude W 122° 17.23'



Services

Fuel 100 (24-hour credit card fuel services)

Notes

Ultralights prohibited. Noise sensitive all quadrants.

Quillayute / **Quillayute** / UIL




Communications

ASOS 135.225
CTAF 122.9

Navigation

Elevation 194' MSL
TPA 1194' MSL (1000' AGL)
Runway 04/22; 4210'x100'; CONC
Lights None
Latitude N 47° 56.20'
Longitude W 124° 33.76'



Services

Fuel None

Notes

Unattended. Dspld. thrd. Rwy 22 – 800' – 3121' avail. Pedestrians, vehicles and animals on and in vicinity of rwy.

Quincy / Quincy Municipal / 80T



Communications

CTAF 122.9

Navigation

Elevation 1271' MSL
TPA 2271' MSL (1000' AGL)
Runway 09/27; 3660'x50'; ASPH
Lights Dusk-dawn, MIRL
Latitude N 47° 12.70'
Longitude W 119° 50.39'



Services

Fuel None

Notes

Unattended.

Renton / **Renton Municipal** / RNT



Communications	Navigation
-----------------------	-------------------

ATIS 126.95

TWR 124.7

GND 121.6

CTAF 124.7

UNICOM 122.85 and 122.95

PCL CTAF (For MIRL Rwy 16/34; REIL Rwy 16/34 & twy lights)

Elevation 32' MSL

TPA 1032' MSL (1000' AGL)


Runway 16/34; 5382'x200';

ASPH-CONC-GRVD

Lights Dusk-dawn, NSTD, MIRL

Latitude N 47° 29.59'

Longitude W 122° 12.95'



Services

Fuel 100LL, Jet A, and Jet A+

Notes **Right hand traffic on runway 34.** Dspld. thrd. Rwy 16 - 300' - 5082' avail. Dspld. thrd. Rwy 34 - 340' - 5042' avail. Seaplane base NW corner. Numerous flocks of birds. Noise abatement procedures contact arpt mgr. Be alert for Boeing production aircraft being towed across runway during hours when tower is closed. TPA west of fld is 1218' AGL due to terrain.


Renton / Will Rogers/Wiley Post Memorial SPB / W36



Communications	Navigation
-----------------------	-------------------

TWR. 124.7 (Renton Airport)
 CTAF 124.7 (118.3 Boeing twr for traffic advisory)
 UNICOM 122.85 and 122.95

Elevation 14' MSL
 TPA. 814' MSL (800' AGL)
 Runway 12/30; 5000'x200'; Water
 Lights None
 Latitude N 47° 29.99'
 Longitude W 122° 13.16'



Services

Fuel 100LL, Jet A, and Jet A+

Notes	Right hand traffic on waterway 12. Flocks of waterfowl on lake. Extensive boating and personal watercraft in vicinity.
--------------	---

Republic / **Ferry County** / R49



Communications	Navigation
-----------------------	-------------------

CTAF 122.9
 PCL 122.8 (For MIRL & REILs; VASI
 Rwy 35)

Elevation 2522' MSL
 TPA 3322' MSL (800' AGL)
 Runway 17/35; 3498'x60'; ASPH
 Lights Dusk-dawn, MIRL
 Latitude N 48° 43.09'
 Longitude W 118° 39.39'



Services

Fuel None

Notes	Right hand traffic on runway 17. Unattended. Suggest night ops. Use runway 35. Rwy 17-35 trees located on unlgtd unmarked mountainous terrain. P-lines NE of Rwy 17 lgtd dusk-dawn.
--------------	--

Richland / **Richland** / RLD



Communications	Navigation
-----------------------	-------------------

AWOS-3 132.675
 CTAF/UNICOM 122.7
 PCL (For MIRL & REILs Rwy 01/19;
 MALS Rwy 19; ODALS Rwy 08)

Elevation 394' MSL
 TPA 1194' MSL (800' AGL)
 Runway 01/19; 4009'×75'; ASPH
 08/26; 4001'×100'; ASPH
 Lights Dusk-dawn, MIRL
 Latitude N 46° 18.34'
 Longitude W 119° 18.25'



Services

Fuel 100LL, Jet A

Notes	Right hand traffic on runways 19 and 26. Preferred rwy 01-19 in calm wind.
--------------	---

Rimrock / Tieton State / 4S6




Communications

CTAF 122.9

Navigation

Elevation 2964' MSL
TPA 3964' MSL (1000' AGL)
Runway 02/20; 2509'×100'; TURF
Lights None
Latitude N 46° 38.25'
Longitude W 121° 07.44'



Services

Fuel None

Notes

Check the AF/D and NOTAMS for open periods. Call WSDOT Aviation (360-618-2477 or 1-800-552-0666) for additional information prior to use. Use at own risk.

Ritzville / Pru Field / 33S




Communications

CTAF/UNICOM 122.8
PCL CTAF (For MIRL)

Navigation

Elevation 1801' MSL
TPA 2801' MSL (1000' AGL)
Runway 01/19; 3433'x40'; ASPH
Lights Dusk-dawn, MIRL
Latitude N 47° 07.41'
Longitude W 118° 23.36'



Services

Fuel None

Notes

Unattended. Dspld. thrd. Rwy 01 - 387' - 3248' avail. Dspld. thrd. Rwy 19 - 816' - 2819' avail. Closed when there is snow or ice on runway.

Rosalia / **Rosalia Municipal** / 72S




Communications

CTAF 122.9
PCL 122.8 (For MIRL)

Navigation

Elevation 2170' MSL
TPA 3170' MSL (1000' AGL)
Runway 02/20; 2807'x45'; ASPH
Lights Dusk-dawn, MIRL
Latitude N 47° 14.19'
Longitude W 117° 25.28'



Services

Fuel 100LL

Notes

Unattended. Rotating beacon OTS indef.

Seattle / Boeing Field/King County International / BFI



Communications

ATIS 127.75
 TWR 120.6 (128-308°)
 118.3 (309-127°) GND 121.9
 CL DEL. 132.4
 UNICOM 122.95

Navigation

Elevation 21' MSL
 TPA 13L/31R; 1000' MSL (979' AGL)
 13R/31L; 800' MSL (779' AGL)
 Runway 13R/31L; 10000'×200'; ASPH-
 GRVD 13L/31R; 3710'×100';
 ASPH-GRVD
 Lights Dusk, dawn, MIRL, HIRL
 Latitude N 47° 31.80'
 Longitude W 122° 18.12'



Services

Fuel 100LL, Jet A

Right hand traffic on runways 13R and 31R. Dspld. thrd. Rwy 31L - 880' - 9120' avail. Dspld. thrd. Rwy 13L - 240' - 3470' avail. Dspld. thrd. Rwy 31R - 365' - 3345' avail. Bird flocks

Notes

within arpt vicinity, check local advisories. For noise abatement procedures, contact noise office at 206-296-7437.


Seattle (Lake Union) / Kenmore Air Harbor SPB / W55



Communications	Navigation
-----------------------	-------------------

CTAF 122.9

Elevation 14' MSL
 TPA..... 814' MSL (800' AGL)
 Runway 16/34; 5000'x500'; Water
 Lights None
 Latitude N 47° 37.74'
 Longitude W 122° 20.32'



Services

Fuel Emergency use ONLY.

Notes Special noise abatement rules in effect. Contact Kenmore Air 425-486-1257 x2010 for temporary parking and pattern information. Night landings not recommended due to unlighted small watercraft. U.S. Customs and Border protection services available. Marina frequency 130.30. \$50 transit docking fee.


Seattle (Lake Union) / **Seattle Seaplanes SPB** / ØWØ



Communications	Navigation
-----------------------	-------------------

CTAF 122.9

Elevation 14' MSL
 TPA. 814' MSL (800' AGL)
 Runway 18/36; 9500'x300'; Water
 Lights None
 Latitude N 47° 37.66'
 Longitude W 122° 19.91'



Services

Fuel None

Notes	Contact Seattle Seaplanes for parking permission. Small watercraft activity on lake.
--------------	--

Seattle / **Seattle-Tacoma International** / SEA




Communications

ATIS 118.0
 TWR 119.9
 GND 121.7
 CL DEL 128.0 (also pre-taxi CLNC)
 UNICOM 122.95

Navigation

Elevation 433' MSL
 TPA 1433' MSL (1000' AGL)
 Runway 16L/34R; 11901'×150'; CONC-GRVD
 16C/34C; 9426'×150'; CONC-GRVD
 16R/34L; 8500'×150'; CONC-GRVD
 Lights Dusk-dawn, HIRL
 Latitude N 47° 26.99'
 Longitude W 122° 18.71'



Services

Fuel 100LL, Jet A, A1

Notes

PPR for all general aviation parking and svc, contact 206-433-5481. Between the hours of 0600-1500. Landing fee. Class B Airspace.

Sekiu / **Sekiu** / 11S



Strait of Juan de Fuca

92


8

Communications

CTAF 122.9

Navigation

Elevation 355' MSL
 TPA 1355' MSL (1000' AGL)
 Runway 08/26; 2997'x50'; ASPH
 Lights Dusk-dawn, LIRL
 Latitude N 48° 15.97'
 Longitude W 124° 18.84'



Services

Fuel None

Notes

Unattended. Dspld. thrd. Rwy 08 – 900' – 2097' avail. Deer on and in vicinity of arpt. PPR for other than single engine acft, call arpt manager 360-457-1138.

Sequim / Sequim Valley / W28



Communications

CTAF/UNICOM 122.7

Navigation

Elevation 144' MSL


TPA 1000' MSL (856' AGL)

Runway 09R/27L; 3510'×40'; ASPH
09L/27R; 3500'×100'; TURF

Lights Dusk-dawn, LIRL

Latitude N 48° 05.89'

Longitude W 123° 11.23'



Services

Fuel Phillips 66 100LL 24 hr self serve

Notes

Right hand traffic on runways 09R and 09L. Deer on and in vicinity of airport. Rwy 09L–27R PPR for landing call 360-683-4444. Rotating beacon OTS indef.

Shelton / Sanderson Field / SHN




Communications

ASOS 119.275
CTAF/UNICOM 122.8

Navigation

Elevation 269' MSL
TPA 1300' MSL (1027' AGL)
Runway 05/23; 5005'×100'; ASPH
Lights Dusk-dawn, MIRL
Latitude N 47° 14.01'
Longitude W 123° 08.85'



Services

Fuel 100LL, Jet A (24-hour credit card fuel services)

Notes

Right hand traffic on runway 05. Caution: parachute operations.

Silverdale / Apex / 8W5




Communications

CTAF 122.8

Navigation

Elevation 525' MSL
TPA 1525' MSL
Runway 17/35; 2500'x28'; ASPH
Lights LIRL
Latitude N 47° 39.38'
Longitude W 122° 43.99'



Services

Fuel None

Notes

Right Hand Traffic on runway 35. No line of sight between rwy ends. Twy east side rwy. Use caution on twy. Trees, acft, and buildings in transition sfcs.

Skykomish / **Skykomish State** / S88



Communications

CTAF 122.9

Navigation

Elevation 1002' MSL
TPA 2002' MSL (1000' AGL)
Runway 06/24; 2050'x100'; TURF
Lights None
Latitude N 47° 42.66'
Longitude W 121° 20.34'



Services

Fuel None

Notes

Check the AF/D and NOTAMS for open periods. Call WSDOT Aviation (360-618-2477 or 1-800-552-0666) for additional information prior to use. Use at own risk.

South Bend (Raymond) / Willapa Harbor / 2S9




Communications

CTAF 122.9
PCL 122.8 (For MIRL & BCN)

Navigation

Elevation 13' MSL
TPA 1013' MSL (1000' AGL)
Runway 11/29; 3005'x52'; ASPH
Lights NSTD, MIRL
Latitude N 46° 41.86'
Longitude W 123° 49.40'



Services

Fuel 100LL (24-hour credit card fuel services)

Notes

Unattended. Watch for elk on an in vicinity of airport. Rotating beacon OTS indef.

Spanaway / **Shady Acres** / 3B8



Communications

CTAF 122.9

Navigation

Elevation 445' MSL
TPA 1200' MSL (755' AGL)
Runway 34/16; 1800'x20'; ASPH
Lights LIRL
Latitude N 47° 04.22'
Longitude W 122° 22.27'



Services

Fuel None

Notes

Right hand traffic on runway 34. Unattended. Dspld. thrd. Rwy 34 – 200' – 1600' avail. PPR for night ops call arpt. manager 253-846-8953.

Spanaway / **Spanaway** / S44



Communications	Navigation
-----------------------	-------------------

CTAF 122.9

Elevation 385' MSL
 TPA..... 1000' MSL (615' AGL)
 Runway..... 16/34; 2724'x20'; ASPH
 Lights Dusk-dawn, LIRL
 Latitude N 47° 05.21'
 Longitude..... W 122° 25.88'



Services

Fuel 100LL

Notes	Right hand traffic on runway 34. Dspld. thrd. Rwy 16 – 200' – 2524' avail. Tiedown fee.
--------------	--


Spokane / Felts Field / SFF



Communications	Navigation
----------------	------------

ATIS 120.55
 TWR 132.5
 GND 121.7
 CTAF 132.5
 UNICOM 122.95
 PCL CTAF (For MALSR Rwy 21R
 when twr is closed)

Elevation 1957' MSL
 TPA 4L/21R 3000' MSL (1047' AGL);
 4R/21L 2753' MSL (800' AGL);
 Runway 04L/21R; 4499'x150'; CONC
 04R/21L; 2650'x75'; ASPH
 04W/21W; 6000'x100'; Water
 Lights Dusk-dawn, MIRL
 Latitude N 47° 40.98'
 Longitude W 117° 19.35'



Services

Fuel 100LL, Jet A, A1+

Notes	<p>Right hand traffic on runways 04R, 21R, and 21W. Dspld. thrlrd. Rwy 04R -415' - 2644' avail. Seaplane operations advisory service only. Area not visible from tower. Seaplane dock on river. Tower operation 0600-2000 local time. Waterfowl and birds on and invof arpt.</p>
--------------	---

Stanwood / Camano Island Airfield / 13W




Communications

CTAF 122.9

Navigation

Elevation 145' MSL
TPA 1145' MSL (1000' AGL)
Runway 16/34; 1750'x24'; ASPH
Lights None
Latitude N 48° 15.42'
Longitude W 122° 26.17'



Services

Fuel None

Notes

Right hand traffic on runways 16 and 34. No night ops. Do not taxi on grass Oct-May.

Starbuck / Little Goose Lock & Dam State / 16W




Communications

CTAF 122.9

Navigation

Elevation 681' MSL
TPA 1681' MSL (1000' AGL)
Runway 07/25; 3400'x50'; Gravel
Lights None
Latitude N 46° 35.02.17454
Longitude W 118° 00.13.95462



Services

Fuel None

Notes

Check the AF/D and NOTAMS for open periods. Call WSDOT Aviation (360-6918-2477 or 1-800-552-0666) for additional information prior to use. Use at own risk.


Stehekin / **Stehekin State** / 6S9



Communications **Navigation**

CTAF 122.9

Elevation 1230' MSL
TPA..... 2230' MSL (1000' AGL)
Runway 13/31; 2630'x100'; TURF
Lights None
Latitude N 48° 20.75'
Longitude W 120° 43.25'




Services

Fuel None

Notes Check the AF/D and NOTAMS. Call WSDOT Aviation (360-618-2477 or 1-800-552-0666) for additional information prior to use. Use at own risk.

Sultan / **Sky Harbor** / S86



Communications

CTAF... 122.9

UNICOM...122.8

Navigation

Elevation 282' MSL

TPA. 1282' MSL (1000' AGL)

Runway 07/25; 1930'×100'; TURF

Lights None

Latitude N 47° 52.24'

Longitude W 121° 47.54'



Services

Fuel None

Notes

Unattended. Contact arpt mgr 425-359-4625 for facility information prior to use. Watch for animals and children on and in/ov arpt. No touch and go ops. No instruction or student ops. Avoid airport during high wind conditions. Preferred runway ops, wind permitting-land West, takeoff East.

Sunnyside / **Sunnyside Municipal** / 1S5



Communications

CTAF 122.9

Navigation

Elevation 768' MSL
TPA 1564' MSL (800' AGL)
Runway 07/25; 3423'x60'; ASPH
Lights Dusk-dawn, LIRL
Latitude N 46° 19.63'
Longitude W 119° 58.22'



Services

Fuel 100LL (24-hour credit card fuel services)

Notes

Unattended.

Tacoma / **Tacoma Narrows** / TIW




Communications

ATIS 124.05 253-858-6507
 TWR 118.5
 GND 121.8
 CTAF 118.5
 UNICOM 122.95
 PCL CTAF (MIRL, MALSR 17, REIL 35, MITL)

Navigation

Elevation 294' MSL
 TPA 1294' MSL (1000' AGL)
 Runway 17/35; 5002'x100'; ASPH
 Lights Dusk-dawn, MIRL
 Latitude N 47° 16.08'
 Longitude W 122° 34.69'



Services

Fuel 100LL, Jet A

Notes

Deer in vicinity of airport. Noise abatement and traffic procedures call arpt mgr 253-221-4637. Tower operation 0800-2000 local time. For customs call 253-593-6338x2.


Tekoa / Willard Field / 73S



Communications	Navigation
-----------------------	-------------------

CTAF 122.9
 PCL 122.8 (For MIRL)

Elevation 2520' MSL
 TPA. 3520' MSL (1000' AGL)
 Runway 04/22; 2261'x40'; ASPH
 Lights Dusk-dawn, MIRL
 Latitude N 47° 14.13'
 Longitude W 117° 02.62'



Services

Fuel 100LL (24-hour credit card fuel services)

Notes	Unattended. Parachute Jumping. Grass areas not avbl for acft ops.
--------------	---

Toledo / **Ed Carlson Memorial Field- South Lewis County** / TDO



Communications	Navigation
-----------------------	-------------------

CTAF 122.9
 PCL CTAF (For MIRL & REILs)

Elevation 374' MSL
 TPA. 1174' MSL (800' AGL)
 Runway 06/24; 4479'x150'; ASPH
 Lights Dusk-dawn, MIRL
 Latitude N 46° 28.63'
 Longitude W 122° 48.39'



Services

Fuel 100LL
 (24-hour credit card fuel services)

Notes	Unattended. Parachutes and gliders. Radio controlled aircraft .
--------------	---

Tonasket / **Tonasket Municipal** / W01




Communications

CTAF 122.9
 PCL CTAF (For MIRL)

Navigation

Elevation 1311' MSL
 TPA 2311' MSL (1000' AGL)
 Runway 15/33; 3053'x50'; ASPH
 Lights Dusk-dawn, MIRL
 Latitude N 48° 43.49'
 Longitude W 119° 27.94'



Services

Fuel None

Notes

Right hand traffic on runway 15. Unattended. Mountains surround airport. For night ops land runway 33 and depart runway 15- wind permitting.

Twisp / Twisp Municipal / 2S0



Communications

CTAF 122.9
 PCL CTAF
 (For BCN & MIRL; PAPI Rwy 28)

Navigation

Elevation 1602' MSL
 TPA 2602' MSL (1000' AGL)
 Runway 10/28; 2701' x 60'; ASPH
 Lights MIRL
 Latitude N 48° 21.04'
 Longitude W 120° 05.64'



Services

Fuel None

Notes

Dspld. thrd. Rwy 28 - 200' - 2501' avail. Unattended. Mountainous terrain surrounds airport. Deer and pedestrians on and in vicinity of airport.

Vancouver / **Fly For Fun** / W56



Communications

CTAF 122.9

Navigation

Elevation 297' MSL
TPA 1300' MSL (1003' AGL)
Runway 07/25; 2434'x50'; TURF
Lights None
Latitude N 45° 41.24'
Longitude W 122° 31.31'



Services

Fuel None

Notes

Right hand traffic on runway 25. Unattended. Airport is closed Christmas and Easter.

Vancouver / Pearson Field / VUO



Communications

ASOS 135.125
 TWR Portland 119.0
 CTAF/UNICOM 123.0
 PCL CTAF (For MIRL after midnight)

Navigation

Elevation 29' MSL
 TPA 1029' MSL (1000' AGL)
 Runway 08/26; 3275'x60'; ASPH
 Lights Dusk-dawn, MIRL
 Latitude N 45° 37.23'
 Longitude W 122° 39.39'



Services

Fuel 100LL (24-hour credit card fuel services)

Notes

Right hand traffic on runway 26. Dspld. thrd. Rwy 26 - 762' - 2513' avail. Bridge towers 0.5 SW. Prior to arrival and departure, contact Portland tower 119.0.

Vashon / **Vashon Municipal** / 2S1




Communications

CTAF 122.9

Navigation

Elevation 316' MSL
TPA 1299' MSL (983' AGL)
Runway 17/35; 2001'x60'; TURF
Lights Dusk-dawn, NSTD, LIRL
Latitude N 47° 27.52'
Longitude W 122° 28.45'



Services

Fuel None

Notes

Right hand traffic Rwy 17. Unattended. Night operations only for pilots familiar with airport. Close in obstructions. Helipad for emergency use only. Touch and go landings not recommended. Noise abatement procedures climb straight ahead to 700' AGL. Recommend calling for fld conditions 206-463-3142.

Walla Walla / **Walla Walla Regional** / ALW




Communications

ASOS 135.875
 TWR 118.5
 GND 121.6
 CTAF 118.5
 PCL CTAF (For MALS Rwy 20; REIL
 & PAPI Rwy 02; HIRL Rwy 02/20
 when twr is closed)

Navigation

Elevation 1194' MSL
 TPA 2194' MSL (1000' AGL)
 Runway 02/20; 6527'×150'; ASPH-GRVD
 07/25; 4486'×150'; ASPH-CONC
 Lights Dusk-dawn, HIRL
 Latitude N 46° 05.69'
 Longitude W 118° 17.34'



Services

Fuel 100LL, Jet A (24-hour credit card
 fuel services)

Notes

Caution: parachute ops. Tower operation 0630 - 1900 local time.

Warden / **Warden** / 2S4




Communications

CTAF 122.9

Navigation

Elevation 1276' MSL
TPA 2276' MSL (1000' AGL)
Runway 17/35; 2811'x60'; ASPH
Lights Dusk-dawn, MIRL
Latitude N 46° 57.95'
Longitude W 119° 03.98'



Services

Fuel None

Notes

Unattended. No runway numbers. Dspld. thrl'd. Rwy 17 – 260' – 2251' avail.

Waterville / **Waterville** / 2S5



Communications

CTAF 122.9

Navigation

Elevation 2645' MSL
TPA 3645' MSL (1000' AGL)
Runway 07/25; 2530'x50'; ASPH
Lights Dusk-dawn, MIRL
Latitude N 47° 39.36'
Longitude W 120° 03.39'



Services

Fuel None

Notes

Wenatchee / Pangborn Memorial / EAT



Communications

ASOS 119.925
 CTAF/UNICOM 123.0
 PCL CTAF (For MIRL Rwy 12/30;
 REILs Rwy 12/30)

Navigation

Elevation 1249' MSL
 TPA 2049' MSL (800' AGL)
 Runway 12/30; 5700'×150'; ASPH-GRVD
 Lights Dusk-dawn, MIRL
 Latitude N 47° 23.89'
 Longitude W 120° 12.34'



Services

Fuel 100LL, Jet A (24-hour credit card
 fuel services for 100LL)

Notes

Rwy 07–25 CLOSED until further notice. Rwy 12 preferred no wind rwy. Bird hazard.
 Glider activity from Mar–Nov.

Westport / **Westport** / 14S



Communications

CTAF 122.9

Navigation

Elevation 14' MSL
TPA 1014' MSL (1000' AGL)
Runway 12/30; 2318'x50'; ASPH
Lights Dusk-dawn, MIRL
Latitude N 46° 53.82'
Longitude W 124° 06.04'



Services

Fuel None

Notes

Right hand traffic on runway 30. Unattended.

Wilbur / **Wilbur Municipal** / 2S8




Communications

CTAF 122.9
PCL CTAF (For MIRL & BCN)

Navigation

Elevation 2183' MSL
TPA 3183' MSL (1000' AGL)
Runway 02/20; 3850'x60'; ASPH
Lights MIRL
Latitude N 47° 45.20'
Longitude W 118° 44.63'



Services

Fuel 100LL, Jet A

Notes

None.

Wilson Creek / **Wilson Creek** / 5W1




Communications

CTAF 122.9

Navigation

Elevation 1440' MSL
TPA 2440' MSL (1000' AGL)
Runway 10/28; 2500'x50'; ASPH
Lights None
Latitude N 47° 25.49'
Longitude W 119° 06.90'



Services

Fuel None

Notes

Unattended.

Winthrop / **Methow Valley State** / S52




Communications

AWOS-3. 118.425
 CTAF/UNICOM 122.8
 PCL CTAF (122.8)

Navigation

Elevation 1706' MSL
 TPA. 2706' MSL (1000' AGL)
 Runway 13/31; 5049'x75'; ASPH
 Lights Pilot Activated
 Latitude N 48° 25.50'
 Longitude W 120° 08.75'



Services

Fuel None

Notes

Check the AF/D and NOTAMS. Call WSDOT Aviation (360-618-2477 or 1-800-552-0666) for additional information prior to use. Use at own risk.

Woodland / **Woodland State** / W27



Communications	Navigation
-----------------------	-------------------

CTAF 122.9

Elevation 29' MSL
 TPA 1029' MSL (1000' AGL)
 Runway 14/32; 1953'x25'; ASPH
 Lights Dusk-dawn, LIRL
 Latitude N 45° 53.93'
 Longitude W 122° 44.24'



Services

Fuel None

Notes	Check the AF/D and NOTAMS. Call WSDOT Aviation (360-618-2477 or 1-800-552-0666) for additional information prior to use. Use at own risk.
--------------	---

Yakima / **Yakima Air Terminal** / YKM



Communications

ATIS 125.25
 TWR 133.25
 GND 121.9
 CTAF 133.25
 UNICOM 122.95
 PCL CTAF (For HIRL Rwy 09/27;
 MALSR Rwy 27 when twr
 is closed)

Navigation

Elevation 1099' MSL
 TPA 2000' MSL (901' AGL)
 Runway 09/27; 7604'×150'; ASPH-GRVD
 04/22; 3835'×150'; ASPH-PFC
 Lights Dusk-dawn, HIRL, MIRL
 Latitude N 46° 34.09'
 Longitude W 120° 32.64'



Services

Fuel 100LL, Jet A (24-hour credit card
 fuel services for 100LL)

Notes

Birds in vicinity of Yakima River East of approach to runway 27. Tower ops 0600-2200 local time.

